

POTABLE AIR PUMP WITH LARGE CYLINDER, DETACHABLE BATTERY, RGB COLOR DISPLAY LIGHT



Product Accessories



Product Parameters

Product Model	MS22C-215A		MS22C-215B	
Power	100W±10%		110W±10%	
Voltage	DC11.1V		DC18.5V	
Power Source	①18650 Battery 3*2000mAh ②Cigarette Lighter		18650 Battery 5*1800mAh	
Cylinder Inner Diameter	25mm		Airflow Rate	25L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi		Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	3Psi-36Psi±4min (195 65 R15)			
N.W.	1015g		1115g	
G.W.	1290g		1390g	
Product Size	154*88.5*241mm		Box Size	224*100*185mm
Carton Size	530*240*390mm			
QTY/Carton, Weight	10pcs/13.8kg		10pcs/14.8kg	
Container Loading QTY	20GP: 5000pcs 40GP: 10800pcs 40HQ: 13600pcs			
Certification	CE, EMC/FCC/ROHS			

Material: PC plastic shell




Product Feature



MINI SIZE AIR PUMP, U-SHAPE AIR HOSE STORAGE, RGB COLOR DISPLAY LIGHT



Product Accessories



Product Parameters

Product Model	MS22C-211	Power	55W
Voltage	DC7.4V	Power Source	18500 Battery 2*1500mAh
Cylinder Inner Diameter	19mm	Airflow Rate	16L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Psi
Full Charge State Inflation Speed	3Psi-36Psi±8min (195 65 R15)		
Product size	71*44.7*114.5mm	N.W.	390g
Box Size	130*85*80mm	G.W.	510g
Carton Size	425*280*185mm	QTY/Carton, Weight	20pcs/11kg
Container Loading QTY	20GP: 28080pcs 40GP: 58400pcs 40HQ: 66880pcs		
Certification	CE, EMC/FCC/ROHS		

Material: ABS plastic shell



Product Feature



JUMP STARTER & TIRE INFLATOR 2 IN 1, AIR HOSE STORAGE, ACCESSORIES STORAGE

Product Accessories

Standard MS22C-213L



Host

Air hose(300mm)



Anti-scalding silica gel



Multiple nozzles

Optional



0.5mm² Cigarette lighter (3m)



Storage bag 22*30cm

Standard MS22C-213Y



Host

Air hose(300mm)



Anti-scalding silica gel



Multiple nozzles

Optional



Maximum current 1000A emergency jump starter



30cm Type-C charging cable

Yellow

Orange

White

Blue

Product Parameters

Product Model	MS22C-213L	MS22C-213Y
Power	70W±10%	
Voltage	DC11.1V	DC14.8V
Power Source	①18650 Battery 3*1800mAh ②Cigarette Lighter	60C Li-Polymer Battery 8000mAh/10000mAh/12000mAh
Cylinder Inner Diameter	19mm	Airflow Rate
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit
Full Charge State Inflation Speed	3Psi-36Psi≤6.5min (195 65 R15)	
N.W.	630g	765g(10000mah)
G.W.	850g	1295g(10000mah)
Product Size	165*113*63mm	Box Size
QTY/Carton, Weight	20pcs/18kg	10pcs/14kg(10000mah)
Carton Size	370*355*310mm	
Container Loading QTY	20GP: 12200pcs 40GP: 26000pcs 40HQ: 33000pcs	
Certification	CE, EMC/FCC/ROHS	

Material: ABS plastic shell



Car
(195/65 R15)
5min

Motorcycle
(110/70 R17)
1min 10s

Bike
(700X28C)
50s

Balls
25s

Product Feature



Jump start



SOS alarm lamp/Lighting



Inflation hose storage



Power bank

WIRED & WIRELESS DUAL-USE, AIR HOSE STORAGE, LARGE CYLINDER

Product Accessories

Standard



Host



550mm inflation tube with copper material inflation inlet and fine weaved nylon



Multiple nozzles



30cm Type-C charging cable

Optional



0.75mm² Cigarette lighter (MS22C-212L 3m)



Storage bag 22*30cm



Air hose with adapter(120mm)

Yellow

Orange

Red

Blue

Product Parameters

Product Model	MS22C-212C	MS22C-212L
Voltage	/	DC11.1V
Power Source	Cigarette Lighter	①18650 Battery 3*1800mAh ②Cigarette Lighter
Power	85W±10%	
Cylinder Inner Diameter	22mm	Airflow Rate
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit
Full Charge State Inflation Speed	3Psi-36Psi≤5min (195 65 R15)	
N.W.	820g	880g
G.W.	930g	1100g
Product Size	150*140*69.5mm	Box Size
Carton Size	390*380*310mm	
QTY/Carton, Weight	10pcs/10.3kg	10pcs/11.9kg
Container Loading QTY	20GP: 5440pcs 40GP: 11900pcs 40HQ: 14800pcs	
Certification	CE, EMC/FCC/ROHS	

Material: ABS plastic shell



Car
(195/65 R15)
5min

Motorcycle
(110/70 R17)
1min 10s

Bike
(700X28C)
50s

Balls
25s

Product Feature



Double digital display



SOS alarm lamp/Lighting



Inflation hose storage



Power bank

MINI SIZE AIR PUMP,U-SHAPE AIR HOSE STORAGE, ALUMINUM ALLOY SHELL, RED & WHITE ALARM LIGHT



Material: aluminum alloy shell



Car
(195/55 R15)
8min 30s

Motorcycle
(110/70 R17)
1min 40S

Bike
(700X28C)
1min 40s

Balls
40S

Product Feature



Mini size air pump

SOS alarm lamp/Lighting

Preset tire pressure

Power bank

Product Accessories



Product Parameters

Product Model	MS22C-001	Power	60W
Voltage	DC7.4V	Power Source	18650 Battery 2*1800mAh
Cylinder Inner Diameter	17mm	Airflow Rate	17L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Full Charge State Inflation Speed	3Psi-36Psi≤8min30S (195 65 R15)		
Product Size	80*44*125mm	N.W.	480g
Box Size	113*77.5*151mm	G.W.	585g
Carton Size	580*325*170mm	QTY/Carton, Weight	20 pcs/12.6kg
Container Loading QTY	20GP: 18480pcs 40GP: 38080pcs 40HQ: 42000pcs		
Certification	CE: EMC/FCC/ROHS		

WIRED & WIRELESS DUAL-USE, ALUMINUM ALLOY SHELL, ACCESSORIES STORAGE, RED & WHITE ALARM LIGHT



Material: Aluminum alloy shell



Car
(195/55 R15)
8min 30s

Motorcycle
(110/70 R17)
1min 40s

Bike
(700X28C)
1min 15s

Balls
30s

Product Feature



Cigarette lighter

SOS alarm lamp/Lighting

Bottom air nozzle storage

Power bank

Product Accessories



Product Parameters

Product Model	MS22C-003	Power	70W
Voltage	DC12V	Power Source	①18650 Battery 3*1800mAh ②Cigarette Lighter
Cylinder Inner Diameter	19mm	Airflow Rate	18L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Full Charge State Inflation Speed	3Psi-36Psi≤8min30S (195 65 R15)		
Product size	69.5*46.5*208mm	Product weight	615g
Box Size	243*104*80mm	Unit weight	850g
Carton Size	550*505*185mm	QTY/Carton, Weight	20pcs/17.89kg
Container Loading QTY	20GP: 10400pcs 40GP: 20500pcs 40HQ: 25200pcs		
Certification	CE: EMC/FCC/ROHS		

WIRED & WIRELESS DUAL-USE, LARGE CYLINDER, RGB COLOR DISPLAY LIGHT, RED & WHITE ALARM LIGHT



Product Accessories



Product Parameters

Product Model	MS22C-205	Power	90W
Power Source	Ⓛ18650 Battery 3*2000mAh ⓁCigarette Lighter	Voltage	DC11.1V
Cylinder Inner Diameter	22mm	Airflow Rate	22L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	3Psi-36Psi/6min (195 65 R15)	N.W.	788g
Product Size	88.2*55*180.3mm	Box Size	218*125*93mm
G.W.	1068g	QTY/Carton, Weight	15pcs/17kg
Carton Size	655*235*305mm		
Container Loading QTY	20GP: 9705pcs 40GP: 20370pcs 40HQ: 23310pcs		
Certification	CE: EMC/FCC/ROHS		

Material: PC plastic shell



Product Feature



WIRED & WIRELESS DUAL-USE, LARGE CYLINDER, FROSTED TEXTURED SCREEN, RED & WHITE ALARM LIGHT



Product Accessories



Product Parameters

Product Model	MS22C-205Y	Power	110W
Power Source	60C Li-Polymer Battery 8000mAh	Voltage	14.8V
Cylinder Inner Diameter	22mm	Airflow Rate	22L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	3Psi-36Psi/6min (195 65 R15)	N.W.	815g
Product Size	88.2*55*180.3mm	Box Size	218*125*93mm
G.W.	1068g	QTY/Carton Weight	15pcs/17kg
Carton Size	655*235*305mm		
Container Loading QTY	20GP: 9705pcs 40GP: 20370pcs 40HQ: 23310pcs		
Certification	CE, EMC/FCC/ROHS		

Material: PC plastic shell



Product Feature



BRUSHLESS MOTOR, FAST INFLATING, MINI SIZE BIKE AIR PUMP, ALUMINUM ALLOY SHELL

Product Accessories



Product Parameters

Product Model	MS22C-11	Power Source	Battery 600mah
Power	48W	Voltage	7.4V
Cylinder Inner Diameter	13mm	Maximum Pressure	150 PSI
Product weight	165g	Air hose length	100±10mm
Unit weight	255g	Pressure unit	PSI, BAR
Product Size	83*58.6*37.5mm	QTY/CTN, Weight	50PCS/ 14KG
Maximum Current	7A	Box Size	120*80*62mm
Carton Size	425*255*350mm		
Container Loading QTY	20GP: 35500pcs	40GP: 69700pcs	40HQ: 86800pcs
Certification	CE, EMC/FCC/ROHS		

Material: ABS plastic shell



Product Feature



BRUSHLESS MOTOR, FAST INFLATING, MINI SIZE BIKE AIR PUMP, ALUMINUM ALLOY SHELL

Product Accessories



Product Parameters

Product Model	MS22C-12	Power Source	Battery 600mah
Power	48W	Voltage	7.4V
Cylinder Inner Diameter	13mm	Maximum Pressure	150 PSI
Product weight	174g	Air hose length	100 ± 10mm
Unit weight	265g	Pressure unit	PSI, BAR
Maximum Current	7A	Product Size	83*58.6*37.5mm
Box Size	120*80*62mm	QTY/Carton, Weight	50PCS/ 14KG
Carton Size	425*255*350mm		
Container Loading QTY	20GP: 35500pcs	40GP: 69700pcs	40HQ: 86800pcs
Certification	CE, EMC/FCC/ROHS		

Material: ABS plastic shell



Product Feature



BRUSHLESS MOTOR, FAST INFLATING, MINI SIZE BIKE
AIR PUMP, ALUMINUM ALLOY SHELL

Product Accessories



Product Parameters

Product Model	MS22C-13	Power Source	Battery 600mah
Power	48W	Voltage	7.4V
Cylinder Inner Diameter	13mm	Maximum Pressure	150 PSI
Product weight	202g	Air hose length	100±10mm
Unit weight	312g	Pressure unit	PSI, BAR
Maximum Current	6.5A	Product Size	56.6*84.7*37.8mm
Box Size	123*63*77mm		
Certification	CE; EMC/FCC/ROHS		

Material: ABS plastic shell



Product Feature



BRUSHLESS MOTOR, FAST INFLATING, MINI SIZE BIKE
AIR PUMP, ALUMINUM ALLOY SHELL

Product Accessories



Product Parameters

Product Model	MS22C-15	Power Source	Battery 600mah
Power	48W	Voltage	7.4V
Cylinder Inner Diameter	13mm	Maximum Pressure	150 PSI
Product weight	180g	Air hose length	100±10mm
Unit weight	294g	Pressure unit	PSI, BAR
Maximum Current	6.5A	Product Size	83*56*36mm
Box Size	123*77*63mm	QTY/Carton, Weight	50PCS/ 15KG
Carton Size	425*255*350mm		
Container Loading QTY	20GP: 35500pcs	40GP: 69700pcs	40HQ: 86800pcs
Certification	CE; EMC/FCC/ROHS		

Material: ABS plastic shell



Product Feature



MINI SIZE AIR PUMP, U-SHAPE AIR HOSE STORAGE



Product Accessories



Product Parameters

Product Model	MS22C-210	Power	55W
Voltage	DC7.4V	Power Source	18500 battery 2*1500mAh
Cylinder Inner Diameter	19mm	Airflow Rate	16L/min
Inflation Pressure Range	3-150psi	Pressure Unit	Psi, Bar
Full Charge State Inflation Speed	0Psi-36Psi2min30S (27.5*1.95 bicycle tire)		
Product Size	71*44.7*114.5mm	N.W.	395g
Box Size	130mm*85mm*80mm	G.W.	500g
Carton Size	425*280*185mm	QTY/Carton, Weight	20Pcs/10.7kg
Container Loading QTY	20GP: 28000pcs 40GP: 35840 pcs 40HQ: 66880pcs		
Certification	CE: EMC/FCC/ROHS		

Material: ABS plastic shell



Product Feature



MINI SIZE AIR PUMP, U-SHAPE AIR HOSE STORAGE



Product Accessories



Product Parameters

Product Model	MS22C-210A	Power	55W
Voltage	DC7.4V	Power Source	18500 battery 2*1500mAh
Cylinder Inner Diameter	19mm	Airflow Rate	16L/min
Inflation Pressure Range	3-150psi	Pressure Unit	Psi, Bar
Full Charge State Inflation Speed	0Psi-36Psi2min30S (27.5*1.95 bicycle tire)		
Product Size	71*44.7*114.5mm	N.W.	390g
Box Size	130mm*85mm*80mm	G.W.	495g
Carton Size	425*280*185mm	QTY/Carton, Weight	20Pcs/10.6kg
Container Loading QTY	20GP: 28000pcs 40GP: 35840 pcs 40HQ: 66880pcs		
Certification	CE: EMC/FCC/ROHS		

Material: ABS plastic shell



Product Feature



WIRED & WIRELESS DUAL-USE, HIGH-PERFORMANCE MOTOR, FAST INFLATING



Material: PC plastic shell



Product Accessories



Product Parameters

Product Model	MS22C-208	Power	80W
Voltage	DC12V	Power Source	①18650 battery 3*2000mAh ②cigarette lighter
Cylinder Inner Diameter	19mm Pro	Airflow Rate	19L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	0Psi-36Psi±6min 30s (195 65 R15)		
Product Size	69*52*167mm	N.W.	565g
Box Size	202*104*90mm	G.W.	785g
Carton Size	545*425*200mm	QTY/Carton, Weight	20Pcs/16.8kg
Container Loading QTY	20GP: 13200pcs 40GP: 27160pcs 40HQ: 31080pcs		
Certification	CE: EMC/FCC/ROHS		

Product Feature



WIRED & WIRELESS DUAL-USE, HIGH-PERFORMANCE MOTOR, FAST INFLATING



Material: PC plastic shell



Product Accessories



Product Parameters

Product Model	MS22C-209A	Power	80W
Voltage	DC12V	Power Source	①18650 battery 3*2000mAh ②cigarette lighter
Cylinder Inner Diameter	19mm Pro	Airflow Rate	19L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	0Psi-36Psi±8min 30s (195 65 R15)		
Product Size	69*52.5*167mm	N.W.	565g
Box Size	202*104*90mm	G.W.	826.5g
Carton Size	545*425*200mm	QTY/Carton, Weight	20Pcs/17.5kg
Container Loading QTY	20GP: 13200pcs 40GP: 27160pcs 40HQ: 31080pcs		
Certification	CE: EMC/FCC/ROHS		

Product Feature



WIRED & WIRELESS DUAL-USE PORTABLE
AIR PUMP, ACCESSORIES STORAGE



Product Accessories



Product Parameters

Product Model	MS22C-203A	MS22C-203B	
Power	60W	70W	
Voltage	DC7.4V	DC11.1V	
Power Source	1.18650 Battery 2*1500mAh 2 Cigarette Lighter		1.18650 Battery 3*1500mAh 2 Cigarette Lighter
Airflow Rate	16L/min	18L/min	
Power bank function	NO	YES	
N.W.	485g	535g	
G.W.	765g	805g	
QTY/Carton, Weight	20pcs/16.2kg	20pcs/17.3kg	
Product Size	184.5*72.5*46mm	Box Size	220*107*80mm
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm
Full Charge State Inflation Speed	3Psi-36Psi/9min (195.65 R15)		3Psi-36Psi/8min (195.65 R15)
Cylinder Inner Diameter	19mm		
Carton Size	565*460*185mm		
Container Loading QTY	20GP: 11200pcs 40GP: 21600pcs 40HQ: 27200pcs		
Certification	CE; EMC/FCC/ROHS		

Material: ABS plastic shell



Product Feature



WIRED & WIRELESS DUAL-USE PORTABLE AIR
PUMP, ACCESSORIES STORAGE



Product Accessories



Product Parameters

Product Model	MS22C-301A	MS22C-301B	MS22C-301C
Power	60W	70W	70W
Voltage	DC7.4V	DC11.1V	DC12V
Power Source	1.18650 Battery 2*1500mAh Cigarette Lighter	1.18650 Battery 3*1500mAh 2 Cigarette Lighter	1 Cigarette Lighter
Airflow Rate	16L/min	18L/min	18L/min
Power bank function	NO	YES	NO
N.W.	485g	535g	535g
G.W.	765g	805g	805g
QTY/Carton, Weight	20pcs/ctn 16.8kg	20pcs/ctn 17.3kg	20pcs/ctn 17.3kg
Product Size	184.5*72.5*46mm	Box Size	220*107*80mm
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	3Psi-36Psi/9min (195.65 R15)	3Psi-36Psi/8min (195.65 R15)	
Carton Size	565*460*185mm		
Cylinder Inner Diameter	19mm		
Container Loading QTY	20GP: 12920pcs 40GP: 26420pcs 40HQ: 30320pcs		
Certification	CE, EMC/FCC/ROHS		

Material: ABS plastic shell



Product Feature



JUMP STARTER & TIRE INFLATOR 2 IN 1, LARGE CYLINDER, OFF-ROAD FIRST CHOICE



Product Accessories

Standard MS22C-201L

Host, Air hose(300mm), Anti-scalding silica gel, Multiple nozzles

Optional

30cm Type-C charging cable, 0.75mm² Cigarette lighter (3m), Storage bag 22*30cm, Air hose with adapter(120mm)

Standard MS22C-201Y

Host, Air hose(300mm), Anti-scalding silica gel, Multiple nozzles, Maximum current 1000A emergency jump starter

Optional

30cm Type-C charging cable, EVA Storage bag 24*16*10cm, Air hose with adapter(120mm)

Yellow Orange Blue Green

Product Parameters

Product Model	MS22C-201L	MS22C-201Y
Power	100W	110W
Voltage	DC12V	DC14.8V
Power Source	①16650 Battery 3*2000mAh ②Cigarette Lighter	60C Li-Polymer Battery 10000mAh/12000mAh/16000mAh
Product weight	905g	1165g
Unit weight	1150g	1685g
Box Size	200*63*165mm	230*106*165mm
QTY/carton, weight	10PCS/11.5KG	10PCS/17.9KG
Carton Size	345*215*350mm	555*245*350mm
Container Loading QTY	20GP: 10380pcs 40GP: 20380pcs 40HQ: 25380pcs	20GP: 5600pcs 40GP: 11000pcs 40HQ: 13750pcs
Cylinder Inner Diameter	25mm	Airflow Rate 25L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit Bar, Psi, Kpa, Kg/cm ²
Full Charge State Inflation Speed	3Psi-36Psi≤5min (195 65 R15)	
Product Size	192.5*54.5*123mm	
Certification	CE; EMC/FCC/ROHS	

Material: ABS plastic shell



Car
(195/55 R15)
5min



Motorcycle
(110/70 R17)
1min 15s



Bike
(700X28C)
1min




Balls
50s

Product Feature



Double digital display



SOS alarm lamp/Lighting



Jump Start



Preset tire pressure

WIRED & WIRELESS DUAL-USE PORTABLE AIR PUMP, ACCESSORIES STORAGE, RED & WHITE ALARM LIGHT, ALUMINUM ALLOY SHELL



Product Accessories

Standard

Host, Air hose(180mm), Multiple nozzles, Anti-scalding silica gel, 30cm Type-C charging cable

Optional

0.5mm² Cigarette lighter (3m), EVA Storage bag 21*10*9cm, Storage bag 12*27cm

Grey Black White Blue

Product Parameters

Product Model	MS22C-002	Power	45W
Voltage	DC11.1V	Power Source	①16650 Battery 3*1800mAh ②Cigarette lighter
Cylinder Inner Diameter	17mm	Airflow Rate	17L/min
Inflation Pressure Range	0.2-10.3bar/3-120psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm ²
Full Charge State Inflation Speed	0Psi-36Psi≤9min 30S (195 65 R15)		
Product Size	62*46.5*177mm	Product weight	580g
Box Size	209*94*85.5mm	Unit weight	830g
Carton Size	500*435*195mm	QTY/Carton, Weight	20 pcs/17.5kg
Container Loading QTY	20GP: 12540pcs 40GP: 25100pcs 40HQ: 30680pcs		
Certification	CE; EMC/FCC/ROHS		

Material: Aluminum alloy shell



Car
(195/55 R15)
9min 30s



Motorcycle
(110/70 R17)
1min 40s



Bike
(700X28C)
1min 30s



Balls
50s

Product Feature



Cigarette lighter



SOS alarm lamp/Lighting



Bottom air nozzle storage



Power bank

WIRED & WIRELESS DUAL-USE PORTABLE AIR PUMP, ACCESSORIES STORAGE, RED & WHITE ALARM LIGHT, ALUMINUM ALLOY SHELL



Material: Aluminum alloy shell



Product Feature



Product Accessories




Product Parameters

Product Model	MS22C-002H	Power	45W
Voltage	DC12V	Power Source	①18650 Battery 3*1500mAh ②Cigarette lighter
Cylinder Inner Diameter	17mm	Airflow Rate	17L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar、Psi、Kpa、Kg/cm²
Product Size	62*46.5*161mm	QTY/CTN、Weight	20 Pcs
Full Charge State Inflation Speed	3Psi-36Psi9min30S (195 65 R15)		
Box Size	193*94*85.5mm		
Carton Size	495*405*190mm		
Container Loading QTY	20GP: 14200pcs	40GP: 27880pcs	40HQ: 34720pcs
Certification	CE: EMC/FCC/ROHS		

MINI SIZE AIR PUMP, U-SHAPE AIR HOSE STORAGE, RGB COLOR DISPLAY LIGHT




Material: ABS plastic shell



Product Feature



Product Accessories



Product Parameters

Product Model	MS22C-211A	Power	55W
Voltage	DC7.4V	Power Source	18650 Battery 2*1800mAh
Cylinder Inner Diameter	19mm	Airflow Rate	16L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar、Psi、Kpa、Kg/cm²
Full Charge State Inflation Speed	3Psi-36Psi9min (195 65 R15)		
Product size	71*44.7*114.5mm	N.W.	390g
Box Size	130*85*80mm	G.W.	510g
Carton Size	425*280*185mm	QTY/Carton, Weight	20pcs/11kg
Container Loading QTY	20GP: 28080pcs	40GP: 58400pcs	40HQ: 66880pcs
Certification	CE: EMC/FCC/ROHS		

WIRED & WIRELESS DUAL-USE, LARGE CYLINDER, FROSTED TEXTURED SCREEN, RED & WHITE ALARM LIGHT



Product Accessories



Product Parameters

Product Model	MS22C-217	Power	80W±10%
Voltage	DC11.1V	Power Source	18650 Battery 3*2000mAh
Cylinder Inner Diameter	22mm	Airflow Rate	22L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	3Psi-36Psi±5.5min (195 65 R15)		
Product size	183*68.2*57.5mm	N.W.	745g
Box Size	218mm*103mm*95mm	G.W.	1037g
Carton Size	540*455*215mm	QTY/Carton, Weight	20pcs/21.5kg
Container Loading QTY	20GP: 9400pcs 40GP: 20400pcs 40HQ: 25660pcs		
Certification	CE, EMC/FCC/ROHS		

Material: PC plastic shell



Product Feature



WIRED & WIRELESS DUAL-USE, LARGE CYLINDER, FROSTED TEXTURED SCREEN, RED & WHITE ALARM LIGHT



Product Accessories



Product Parameters

Product Model	MS22C-217H	Power	80W±10%
Voltage	DC11.1V	Power Source	18650 Battery 3*2000mAh
Cylinder Inner Diameter	22mm	Airflow Rate	22L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	3Psi-36Psi±5.5min (195 65 R15)		
Product size	183*68.2*57.5mm	N.W.	745g
Box Size	218mm*103mm*95mm	G.W.	1037g
Carton Size	540*455*215mm	QTY/Carton, Weight	20pcs/21.5kg
Container Loading QTY	20GP: 9400pcs 40GP: 20400pcs 40HQ: 25660pcs		
Certification	CE, EMC/FCC/ROHS		

Material: PC plastic shell



Product Feature



WIRED & WIRELESS DUAL-USE, HIGH-PERFORMANCE MOTOR, FAST INFLATING



Product Accessories



Product Parameters

Product Model	MS22C-218	Power	80W ± 10%
Voltage	DC11.1V	Power Source	18650 Battery 3*2000mAh
Cylinder Inner Diameter	19mm	Airflow Rate	19L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	3Psi-36Psi≈5.5min (195 65 R15)		
Product size	69*52*167mm	N.W.	565g
Box Size	202*104*90mm	G.W.	790g
Carton Size	545*425*200mm	QTY/Carton, Weight	20pcs/16.6kg
Container Loading QTY	20GP: 10800pcs 40GP: 23300pcs 40HQ: 29300pcs		
Certification	CE: EMC/FCC/ROHS		

Material: PC plastic shell



Product Feature



WIRED & WIRELESS DUAL-USE, HIGH-PERFORMANCE MOTOR, FAST INFLATING



Product Accessories



Product Parameters

Product Model	MS22C-218H	Power	80W ± 10%
Voltage	DC11.1V	Power Source	18650 Battery 3*2000mAh
Cylinder Inner Diameter	19mm	Airflow Rate	19L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar, Psi, Kpa, Kg/cm²
Full Charge State Inflation Speed	3Psi-36Psi≈5.5min (195 65 R15)		
Product size	69*52*167mm	N.W.	565g
Box Size		G.W.	790g
Carton Size	545*425*200mm	QTY/Carton, Weight	20pcs/16.6kg
Container Loading QTY	20GP: 10800pcs 40GP: 23300pcs 40HQ: 29300pcs		
Certification	CE: EMC/FCC/ROHS		

Material: PC plastic shell



Product Feature



WIRED & WIRELESS DUAL-USE, LARGE CYLINDER, FROSTED TEXTURED SCREEN, RED & WHITE ALARM LIGHT



Product Accessories



Product Parameters

Product Model	MS22C-207A	Power	100W
Voltage	DC12V	Power Source	①18650 Battery 3*2000mAh ②Cigarette lighter
Cylinder inner Diameter	22mm	Airflow Rate	22L/min
Inflation Pressure Range	0.2-10.3bar/3-150psi	Pressure Unit	Bar、Psi、Kpa、Kg/cm²
Full Charge State Inflation Speed	3Psi:36Psi±5min30S (195 65 R15)		
Product Size	183*88.2*57.5mm	N.W.	745g
Box Size	218*103*95mm	G.W.	1070g
Carton Size	540*235*310mm	QTY/CTN、Weight	15 Pcs/17kg
Container Loading QTY	20GP: 11520pcs 40GP: 24540pcs 40HQ: 27900pcs		
Certification	CE: EMC/FCC/ROHS		


Material: ABS plastic shell



Product Feature



HANDHELD VACUUM CLEANER FOR HOME AND CAR





Cyclone anti-blocking design

Power percentage display

Product Accessories



Product Feature



Product Parameters

Model Number	MS21Y-02B	Power	120W
Suction	16Kpa±10%	Dust Cup Volume	200ML
Voltage	DC11.1V	Charging Time	About 4-6 hours
Product Size	452*75*77mm	Host Weight	0.7g
Box Size	Standard Package:440*85*185mm Premium Package:245*120*445mm	Gross Weight	1.05kg
Carton Size	Standard Package:455*445*390mm Premium Package:620*455*510mm	QTY/CTN、Weight	10pcs/ctn, 10.5kg
Battery	18650 Battery 3*2000mAh		
Runtime	Eco Mode: 30min; Max Mode: 15min		
Container Loading QTY	20GP: 2010Pcs 40GP: 4210Pcs 40HQ: 4750Pcs		
Certification	CE: EMC/FCC/ROHS		



VACUUM CLEANER FOR CAR AND HOME



Blow



Suction

Inflating pumping suction in one



Swimming ring nozzle
Inflation and deflation for swimming ring etc



Long nozzle



Short nozzle
Inflation and deflation for air mattress etc



Suction adapter
For vacuum storage bag etc



Extended mouthpiece



Product Accessories



Product Feature



Product Parameters

Model Number	MS21Y-101		
The Rated Volatge	DC7.4V		
The Rated Power	70W BLDC		
Suction	High Gear 12kpa±10, Low Gear 8kpa±10%		
Usage Time	High Gear 10min, Low Gear 30min	Box size	142*112*372mm
Battery	18650-2*1800mAh	Carton size	605*300*385mm
Charging Time	About 4-5 hours	Porduct size	250*55*55mm
Dust Cup Volume	50ML	N.W.	442g

VACUUM CLEANER FOR CAR AND HOME



Cyclone anti-blocking design



One-click for dust pouring

Inflating pumping suction in one



Swimming ring nozzle
Inflation and deflation for swimming ring etc



Long nozzle



Short nozzle
Inflation and deflation for air mattress etc




Suction adapter
For vacuum storage bag etc



Extended mouthpiece



Product Accessories



Product Feature




Product Parameters

Model Number	MS21Y-102D		
The Rated Volatge	DC11.1V		
The Rated Power	90W BLDC		
Suction	High Gear 14kpa±10%, Low Gear 8kpa±10%		
Usage Time	High Gear 20min, Low Gear 40min	Box size	142*112*372mm
Battery	18650-3*2000mAh	Carton size	605*300*385mm
Charging Time	About 4-5 hours	Porduct size	55*74*270mm
Dust Cup Volume	90ML	N.W.	478g

HANDHELD VACUUM CLEANER FOR HOME AND CAR



Product Accessories



Product Feature



■ Flat Suction
Application: narrow corners car keyboard, etc



■ Suitable For Home

Product Parameters

Product Model	MS21Y-03A	MS21Y-03B
Power	90W	120W
Voltage	DC7.4V	DC11.1V
Power Source	18650 Battery 2*2000mAh	18650 Battery 3*2000mAh
Suction	12Kpa ± 10%	16Kpa ± 10%
Runtime	Eco Mode:30min; Max Mode:15min	
Dust Cup Volume	200ML	Charging Time
Host Weight	0.55 Kg	About 4-5 hours
Gross Weight	Standard Package: 1.65kg	0.6 Kg
Product Size	410*55*65mm	Premium Package: 1.68kg
Box Size	Premium Package: 600*410*465mm	Standard Package: 195*115*445mm
Carton Size	Premium Package: 600*410*465mm	Premium Package: 180*113*560mm
Container Loading QTY	20GP:2450pcs	40GP:4730pcs
Certification	40HQ:5960pcs	10pcs/17.5kg
	CE: EMC/FCC/ROHS	




■ Rose gold ■ Champagne gold ■ Silver

HANDHELD VACUUM CLEANER FOR HOME AND CAR



Product Accessories



Product Feature



■ Flat Suction
Application: narrow corners car keyboard, etc



■ Suitable For Home

Product Parameters

Model Number	MS21Y-03D	Power	80W
Voltage	DC11.1	Battery	18650 Battery 3*2000mAh
Suction	16Kpa ± 10%	Dust Cup Volume	180ML
Runtime	Big Mode:15min, Small Mode:30min	Charging Time	About 4-5 hours
Product Size	410*55*65mm	Host Weight	0.6kg
Box Size	180*113*560mm (Single straight pipe) 195*115*445mm (Double straight tube)	Gross Weight	Premium Package 1.65kg (Single straight pipe) Premium Package 1.68kg (Double straight tube)
Carton Size	575*380*365mm Pack of 6 600*410*465mm Pack of 10	QTY/CTN. Weight	10pcs/15kg
Container Loading QTY	20GP:2450pcs	40GP:4730pcs	40HQ:5960pcs
Certification	CE: EMC/FCC/ROHS		



■ black ■ red+black ■ white

HANDHELD VACUUM CLEANER FOR HOME AND CAR



Product Accessories



Product Feature



Product Parameters

Model Number	MS21Y-02C	Power	120W
Suction	16Kpa±10%	Dust Cup Volume	200ML
Voltage	DC11.1V	Charging Time	About 4-6 hours
Product Size	452*75*77mm	Host Weight	0.7g
Box Size	Standard Package: 440*65*185mm Premium Package: 245*120*445mm	Gross Weight	1.05kg
Carton Size	Standard Package: 455*445*390mm Premium Package: 620*455*510mm	QTY/CTN, Weight	10pcs/ctn, 10.5kg
Battery	18650 Battery 3*2000mAh		
Runtime	Eco Mode: 30min; Max Mode: 15min		
Container Loading QTY	20GP: 2010Pcs 40GP: 4210Pcs 40HQ: 4750Pcs		
Certification	CE, EMC/FCC/ROHS		



Suitable For Home



Square brush

Application: efficient cleaning mattress, sofa, etc



Black




White


HANDHELD VACUUM CLEANER FOR HOME AND CAR



Product Accessories



Product Feature



Square brush

Application: efficient cleaning mattress, sofa, etc



Suitable For Home

Product Parameters

Product Model	MS21Y-01A	MS21Y-01B	
Power	70W	85W	
Voltage	DC7.4V	DC11.1V	
Power Source	18650 Battery 2*2000mAh	18650 Battery 3*2000mAh	
Suction	5Kpa ±10%	7Kpa ±10%	
Runtime	Eco Mode:30min; Max Mode:15min		
Dust Cup Volume	200ML	Charging Time	About 4-5 hours
Host Weight	0.68kg	0.7kg	
Gross Weight	Standard Package: 0.95kg Premium Package: 1.72kg	Standard Package: 0.97kg Premium Package: 1.76kg	
Product Size	452*75*77mm	Box Size	Standard Package: 440*85*185mm Premium Package: 245*120*445mm
Carton Size	Standard Package(10pcs): 455*445*390mm Premium Package(10pcs): 620*455*510mm	QTY/CTN, Weight	10pcs/10.3kg
Container Loading QTY	20GP:2010pcs	40GP:3750pcs	40HQ:4750pcs
Certification	CE: EMC/FCC/ROHS		



Grey



White



Red



HOSEHOLD APPLIANCES:VACUUM CLEANERS(CAR, HOME CAR DUAL-USE, HOSEHOLD HANDHELD)




Bottom storage



Dry and wet

Product Accessories

Standard



Host Long flat suction Absorbent flat brush 1 M Type-c charging cable

Optional



Wall mount Extension hose(Adapter) crevice brush Zipper storage bag

Product Feature



Wireless handheld



Home car dual purpose



Wall mount bracket



Dry and wet use



Quadruple Filtration



Utility model patent+ Appearance patent



Constant pressure detection function



NTC temperature control protection

Product Parameters

Product Model	MS21Y-05A	MS21Y-05B	MS21Y-05C
Power	70W	90W	90W
Voltage	DC7.4V	DC11.1V	DC12V
Power Source	18650 Battery 2*2000mAh	18650 Battery 3*2000mAh	/
Suction	5Kpa±10%	7Kpa±10%	7Kpa±10%
Runtime	Eco Mode 27min Max Mode 13min		
Dust Cup Volume	400ML	Charging Time	About 4-5 hours
Host Weight	0.73kg	0.77kg	
Gross Weight	Standard Package 1.012kg	Standard Package 1.052kg	
Product Size	400*117*119mm	Box Size	405*120*137mm
Carton Size	625*420*295mm	QTY/CTN, Weight	10pcs/ctn, 14kg
Container Loading QTY	20GP, 3750Pcs 40GP, 7600Pcs 40HQ, 8800Pcs		
Certification	CE, EMC/FCC/ROHS		



Long flat suction

Application: narrow corners car keyboard, etc



Absorbent flat brush

Application: Efficient cleaning of wet water table, floor, car interior, etc.



Orange



Black



Red