

MULTIPLE REMOTE CONTROL OPTIONS



DC motor remote control



AC motor remote control



DC motor wall control



AC motor wall control

* We have more remotes to choose from

PURE COPPER MOTOR IS STRONG AND STABLE

Preferably silicon steel + copper wire winding mute bearing hardcore configuration, so that the wind more stable and smooth.



Energy saving



Low noise operation



All seals



Safe



10 years warranty for motor



**BL-3890-WH**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB 30W/CT Changable
Color: White
RPM: Max 125
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-3890-5-WH**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/5 PCS
Light Source: LED PCB 30W/CT Changable
Color: White
RPM: Max 140
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-3890-5-GD**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/5 PCS
Light Source: LED PCB 30W/CT Changable
Color: Gold
RPM: Max 140
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-3890-SN-SV**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB 30W/CT Changable
Color: Sand Nickel+Silver
RPM: Max 125
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-3890-BK-WG**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB 30W/CT Changable
Color: Black+Wood Grain
RPM: Max 125
Certification: CB,CE,RoHS,
Australia Certification: SGS/210096

**BL-3891-BK-WG**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 54"
Blade: ABS/6 PCS
Light Source: LED PCB/30W
Color: Black+Wood Grain
RPM: Max 160
Certification: CB,CE,RoHS,
Australia Certification:SGS/210096



BL-2370-3-SN-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/3 PCS
Light Source: LED PCB/26W
Color: Sand Nickel+White
RPM: Max 200
Certification: CB,CE,RoHS,ErP,
Australia Certification: SGS/210096



BL-2370-48-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: White
RPM: Max 220
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2370-48-SV

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Silver
RPM: Max 220
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2370-48-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Black
RPM: Max 220
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2370-BK
Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Black
RPM: Max 180
Certification: CB,CE,RoHS,ErP,
Australia Certification: SGS/210096



BL-2370-DWG
Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Dark Wood Grain
RPM: Max 180
Certification: CB,CE,RoHS,ErP,
Australia Certification: SGS/210096



BL-2528-LWG
Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 60"
Blade: ABS/5 PCS
Light Source: LED PCB/26W
Color: Light Wood Grain
RPM: Max 180
Certification: CB,CE,ErP,
Australia Certification: SGS/210096



BL-2501-WH
Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 185
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2501-LWG
Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Ligth Wood Grain
RPM: Max 185
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2501-DWG
Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Dark Wood Grain
RPM: Max 185
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2500-COF-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 44"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Coffee+White
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2500-GN-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 44"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Green+White
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2500-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 44"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2500-GN



BL-2500-BU



BL-2500-YE



BL-2500-COF

**BL-2503-WH**

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 285
Certification: CB,CE,RoHS

**BL-2503-BU**

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: Blue
RPM: Max 285
Certification: CB,CE,RoHS

**BL-2503-COF**

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: Coffee
RPM: Max 285
Certification: CB,CE,RoHS

**BL-2503-BGD**

Motor: DC 38W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/76W
Color: Black With Brush Gold
RPM: Max 285
Certification: CB,CE,RoHS



BL-2129-SN-SV
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Silver
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-WH
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-BK
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-WL-BK
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Black
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-WL-SN-DWG
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Sand Nickel+Dark Wood Grain
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2129-WL-DWG
Motor: DC 38W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Dark Wood Grain
RPM: Max 230
Certification: ETL,CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-1111-SN-SV

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-1111-WH

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-1111-WH-LWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: White+Light Wood Grain
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-1111-COF-DWG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Coffee+Dark Wood Grain
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2010-WL-BK-MG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Black With Brush Gold+Mahogany
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2010-WL-SN-LWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2010-WL-SN-LWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2164-WH-LWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/12W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS



BL-2010-SN-MG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/12W
Color: Sand Nickel+Mahogany
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2010-BK-MG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/12W
Color: Black With Brush Gold+Mahogany
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2537-BK-MG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/21W
Color: Black+Wood Grain
RPM: Max 220
Australia Certification: SGS/210096



BL-2165-WH-LWG
Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz; 220~240V/50Hz
Size: 48"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/18W
Color: White+Light Wood Grain
RPM: Max 220
Certification: CE,RoHS



BL-1569-WL-SN-WG
Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Color: Sand Nickel+Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS



BL-2166-BK-DWG
Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/17W -17W-16W
Color: Black With Brush Gold+Dark Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS



BL-2184-LWG
Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/24W
Color: Light Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS



BL-2671-SN-LWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Light Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS



BL-1693-WL-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: White
RPM: Max 160
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1693-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 160
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1693-WL-DWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Dark Wood Grain
RPM: Max 160
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1693-DWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Dark Wood Grain
RPM: Max 160
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2842-WH

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 120
Certification: CB,CE,RoHS



BL-2842-SV

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Silver
RPM: Max 120
Certification: CB,CE,RoHS



BL-2053-DWG

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 64"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Dark Wood Grain
RPM: Max 120
Certification: CB,CE,RoHS



BL-2053-WH

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: White
RPM: Max 205
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2053-LWG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Light Wood Grain
RPM: Max 205
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2053-BK

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Black
RPM: Max 205
Certification: CB,CE,RoHS
Australia Certification:SGS/210096

**BL-2747-COF-WG**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/6 PCS
Light Source: LED PCB/31W
Color: Coffee+Wood Grain
RPM: Max 155
Certification: CB,CE,RoHS

**BL-2741-SN-WG**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Sand Nickel+Wood Grain
RPM: Max 155
Certification: CB,CE,RoHS

**BL-2740-SV**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Silver
RPM: Max 130
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2740-GD**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Gold
RPM: Max 130
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2740-COF**

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 66"
Blade: ABS/6 PCS
Light Source: LED PCB/76W
Color: Coffee
RPM: Max 130
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2392-SN-MC

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED PCB/40W
Color: Sand Nickel+Multi-Color
RPM: Max 110
Certification: CB,CE
Australia Certification: SGS/210096



BL-2181-SN-YE

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED PCB/40W
Color: Sand Nickel+Yellow
RPM: Max 110
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2181-BK

Motor: DC 50W
Voltage/Frequency: 110~240V/50~60Hz
Size: 62"
Blade: ABS/8 PCS
Light Source: LED PCB/40W
Color: Black
RPM: Max 110
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2723-SN-WG

Motor: DC 50W
 Voltage/Frequency: 110~240V/50~60Hz
 Size: 63"
 Blade: Composite Board/8 PCS
 Light Source: LED PCB/76W
 Color: Sand Nickel+Wood Grain
 RPM: Max 170
 Certification: CB,CE,RoHS
 Australia Certification: SGS/210096



BL-2320-BK

Motor: AC 70W
 Voltage/Frequency: 110~130V/60Hz;
 220~240V/50Hz
 Size: 56"
 Blade: ABS/5 PCS
 Color: Black
 RPM: Max 220
 Certification: CB



BL-2527-AB

Motor: AC 50W
 Voltage/Frequency: 110~130V/60Hz;
 220~240V/50Hz
 Size: 56"
 Blade: Iron/5 PCS
 Light Source: LED PCB/32W
 Color: Antique Bronze
 RPM: Max 130
 Australia Certification: SGS/210096



BL-2536-GD

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/70W
Color: Gold
RPM: Max 200



BL-2536-PB-BS

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/70W
Color: Peral Black+Black With Brush Silver
RPM: Max 200



BL-2536-BK

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/70W
Color: Black
RPM: Max 200



BL-2756-WH

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 220
Certification: CB,CE,RoHS



BL-2756-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 220
Certification: CB,CE,RoHS



BL-2756-SN-COF

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 40"
Blade: ABS/5 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Coffee
RPM: Max 220
Certification: CB,CE,RoHS



BL-2751-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 250
Certification: CB,CE,RoHS



BL-2750-WL-BK

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS
Color: Black
RPM: Max 250
Certification: CB,CE,RoHS

**BL-2775-BK**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: E27*5
Color: Black
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2185-WH**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 190
Certification: CB,CE,RoHS

**BL-2185-DWG**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Dark Wood Grain
RPM: Max 190
Certification: CB,CE,RoHS

**BL-2186-DWG**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/30W
Color: Dark Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS

**BL-2186-WG**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 56"
Blade: ABS/5 PCS
Light Source: LED PCB/30W
Color: Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS

**BL-2819-WH**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 210
Certification: CE,RoHS

**BL-2099-AB-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W Color:
Antique Bronze+Wood Grain RPM:
Max 210
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2119-GD-WG**

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Gold+Wood Grain
RPM: Max 190
Certification: CB,CE,RoHS



BL-1537-WH-LWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: White+Light Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1537-AB-LWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: Anti Bronze+Light Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-1537-COF-DWG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/5 PCS
Light Source: LED PCB/60W
Color: Coffee+Dark Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2832-GY-WG**

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: Grey+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2832-WH-WG**

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: White+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2832-GN-WG**

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: Green+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2832-BK-WG**

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/76W
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2545-GY-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Grey+Light Wood Grain
RPM: Max 170



BL-2545-WH-LWG

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 170



BL-2545-WH

Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 170



BL-2545-XD-WH
Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White
RPM: Max 170



BL-2545-XD-WH-LWG
Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: White+Light Wood Grain
RPM: Max 170



BL-2545-XD-GY-LWG
Motor: DC 45W
Voltage/Frequency: 110~240V/50~60Hz
Size: 55"
Blade: ABS/5 PCS
Light Source: LED PCB/76W
Color: Grey+Light Wood Grain
RPM: Max 170



BL-2745-XD-WH
Motor: AC 70W
Voltage/Frequency:110-130V/60Hz;
220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/29W;
LED STRIP/12.5W
Color: White
RPM: Max 210
Certification: CB,CE,RoHS



BL-2745-XD-COF
Motor: AC 70W
Voltage/Frequency:110-130V/60Hz;
220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: LED PCB/29W;
LED STRIP/12.5W
Color: Coffee
RPM: Max 210
Certification: CB,CE,RoHS



BL-2670-SN-LWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Light Wood Grain
RPM: Max 220
Certification: CE,RoHS



BL-2736-SV
Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Silver
RPM: Max 210
Certification: CB,CE,RoHS



BL-2670-BK-DWG
Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+Dark Wood Grain
RPM: Max 220
Certification: CE,RoHS



BL-2736-WH
Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 210
Certification: CB,CE,RoHS



BL-2529-BK-DWG
Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Black+Dark Wood Grain
RPM: Max 230
Australia Certification: SGS/210096



BL-2507-WH
Motor: AC 65W
Voltage/Frequency: 110~130V/60Hz;
220~240V/60Hz
Size: 48"
Blade: ABS/5 PCS
Light Source: LED PCB/24W;
LED Srtip/13W
Color: White
RPM: Max 210
Certification: CB,CE,RoHS



BL-2116-SN-SV

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board /3 PCS
Light Source: LED PCB/18W
Color: Sand Nickel+Silver
RPM: Max 220
Certification: ETL,CB,CE,RoHS



BL-2116-AB-WG

Motor: DC 35W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board /3 PCS
Light Source: LED PCB/18W
Color: Antique Bronze+Wood Grain
RPM: Max 220
Certification: ETL,CB,CE,RoHS



BL-2052-BN

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Brown
RPM: Max 210



BL-2089-AB-COF

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/18W
Color: Antique Bronze+Coffee
RPM: Max 210
Certification: CB



BL-2089-WL-AB-COF

Motor: DC 32W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Coffee
RPM: Max 210
Certification: CB

**BL-1870-BK-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Black+Wood Grain
RPM: Max 160

**BL-2351-SN-GY**

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Grey
RPM: Max 180
Certification: CE,RoHS

**BL-1870-AB-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Antique Bronze+Wood Grain
RPM: Max 160

**BL-2183-SN-SV**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 170
Certification: CB

**BL-2136-SN-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Wood Grain
RPM: Max 200
Certification: CB

**BL-7504-WH**

Motor: DC 35W /AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/4 PCS
Color: White
RPM: Max 240
Certification: CB,CE,RoHS



BL-2526-WL-COF

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Coffee
RPM: Max 240
Australia Certification: SGS/210096,CB,CE



BL-2056-WH

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2056-SN-GY

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Grey
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2056-PB-BK

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Pearl Black+Black
RPM: Max 240
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2050-BK-SV**

Motor: DC 30W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: Composite Board/4 PCS
Light Source: LED PCB/24W
Color: Black+Silver
RPM: Max 250
Certification: CB,CE,RoHS

**BL-1070-CH-SN**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/4 PCS
Light Source: LED PCB/24W
Color: Chrome+Sand Nickel
RPM: Max 280
Certification: CB

**BL-2818-SN**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Light Source: LED PCB/24W
Color: Sand Nickel
RPM: Max 260
Certification: CB,CE,RoHS

**BL-2117-WH**

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 200
Certification: CB,CE,RoHS

**BL-2117-GY-WH**


Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Grey+White
RPM: Max 200
Certification: CB,CE,RoHS

**BL-2117-GY-YE**

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Yellow+White
RPM: Max 200
Certification: CB,CE,RoHS

**BL-2117-GN-WH**

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 200
Certification: CB,CE,RoHS

**BL-511-BK-WG**

Motor: DC 35W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/3 PCS
Light Source: LED PCB/24W
Color: Black+Wood Grain
RPM: Max 220
Australia Certification: SGS/210096

**BL-1112-AB-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size: 52"

Blade: Composite Board/5 PCS
Light Source: LED PCB/24W Color:
Antique Bronze+Wood Grain RPM:
Max 200
Certification: CE,RoHS

**BL-1049-SN**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size: 52"

Blade: Iron/5 PCS
Light Source: LED PCB/18W
Color: Sand Nickel
RPM: Max 200

**BL-1089-AB**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size: 52"

Blade: Iron/5 PCS
Light Source: LED PCB/18W
Color: Antique Bronze
RPM: Max 210



BL-1053-SN

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron
Light Source: E27*3
Color: Sand Nickel
RPM: Max 210



BL-1042-GD

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Iron
Light Source: E27*3
Color: Gold
RPM: Max 210



BL-1042-GD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Gold+Wood Grain
RPM: Max 200
Certification: CB



BL-2118-SV

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/2 PCS
Light Source: LED PCB/12W
Color: Silver
RPM: Max 180
Certification: CB,CE,RoHS



BL-2118-BK-WH

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: ABS/2 PCS
Light Source: LED PCB/12W
Color: Black+White
RPM: Max 180
Certification: CB,CE,RoHS



BL-2542-BS-WG

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*4
Color: Black With Brush Silver+Wood Grain
RPM: Max 180
Certification: ETL
Australia Certification: SGS/210096



**BL-2543-CH-WG**


Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3+E14*3
Color: Chrome+Wood Grain
RPM: Max 190
Australia Certification: SGS/210096

**BL-2535-PB-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Pearl Black+Wood Grain
RPM: Max 170
Australia Certification: SGS/210096

**BL-2539-COF-WG**

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3 Max 25W
Color: Coffee+Wood Grain
RPM: Max 190
Australia Certification: SGS/210096

**BL-2936-ORB-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board /5 PCS
Light Source: E27*3
Color: Oil-Rubbed Bronze+Wood Grain
RPM: Max 190
Certification: ETL

**BL-2168-GD-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E14*6
Color: Gold+Wood Grain
RPM: Max 190
Certification: CE,RoHS

**BL-205-A-BK-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS

**BL-2110-COF-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Coffee+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS

**BL-205-B-BK-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 200
Certification: CB,CE,RoHS



BL-8202-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 200
Certification: CB



BL-2833-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Black+Antique Bronze+Wood Grain
RPM: Max 220
Certification: CB,CE



BL-1022-RAB

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Light Source: E27*3
Color: Red Antique Bronze
RPM: Max 210



BL-2008-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Antique Bronze+Wood Grain
RPM: Max 220
Certification: CB,CE,RoHS



BL-2016-BK-WG

Motor: DC 40W/AC 70W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 48"
 Blade: Composite Board/5 PCS
 Light Source: E27*3+G9*2
 Color: Black+Wood Grain
 RPM: Max 230
 Certification: CE,RoHS



BL-2219-GN-WG

Motor: DC 40W/AC 70W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 48"
 Blade: Composite Board/5 PCS
 Light Source: E27*3+G9*2
 Color: Green+Wood Grain
 RPM: Max 230
 Certification: CE,RoHS



BL-2533-RAB-WG

Motor: DC 40W/AC 70W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 52"
 Blade: Composite Board/5 PCS
 Light Source: E27*6
 Color: Red Antique Bronze+Wood Grain
 RPM: Max 210



BL-1008-A-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*4
Color: Black+Wood Grain
RPM: Max 210



BL-1008-B-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*4
Color: Black+Wood Grain
RPM: Max 210



BL-1578-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black+Wood Grain
RPM: Max 220



BL-513-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 220



BL-1701-AB-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Antique Bronze+Wood Grain
RPM: Max 220



BL-2162-SN-WG

Motor: DC 40W/AC 75W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Sand Nickel+Wood Grain
RPM: Max 220



BL-8129-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Black+Wood Grain
RPM: Max 220



BL-1577-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Black+Wood Grain
RPM: Max 220



BL-1003-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 200



BL-1090-RAB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Red Antique Bronze+Wood Grain
RPM: Max 220



BL-1078-RGD-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Light Source: E27*5
Color: Rose Gold+Wood Grain
RPM: Max 200



BL-1014-RGD-WG

Motor: DC 40W/AC 60W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 52"
 Blade: Composite Board/5 PCS
 Light Source: E27*3
 Color: Rose Gold+Wood Grain
 RPM: Max 200



BL-1023-RAB-WG

Motor: DC 40W/AC 70W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 52"
 Blade: Composite Board/5 PCS
 Light Source: E27*5
 Color: Red Antique Bronze+Wood Grain
 RPM: Max 200



BL-1079-CH-SN

MMotor: DC 40W/AC 60W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 52"
 Blade: Iron/5 PCS
 Light Source: E27*3
 Color: Chrome
 RPM: Max 210
 Certification: CE,RoHS



BL-1996-AB

Motor: DC 40W/AC 70W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 52"
 Blade: Iron/5 PCS
 Light Source: E27*5
 Color: Antique Bronze
 RPM: Max 210



BL-1005-GD

Motor: DC 40W/AC 70W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 52"
 Blade: Iron/5 PCS
 Light Source: E27*5
 Color: Gold
 RPM: Max 210



BL-1018-BK-MC

Motor: DC 35W/AC 60W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 48"
 Blade: Composite Board/5 PCS
 Light Source: E27*3
 Color: White+Multi-Color
 RPM: Max 210



BL-2062-SN-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230
Certification: CE,RoHS



BL-2490-AB-WG

Motor: DC 40W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230
Certification: CE,RoHS



BL-2055-AB-WG

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Solid Wood/5 PCS
Light Source: E27*3
Color: Antique Bronze+Wood Grain
RPM: Max 230



BL-5501-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: E27*3
Color: Black
RPM: Max 230



BL-670-WL-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



BL-1578-WL-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



BL-670-WL-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Black+Wood Grain
RPM: Max 200



BL-1578-WL-BK-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Black+Wood Grain
RPM: Max 200



BL-2809-WL-AB-WG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Composite Board/5 PCS
Color: Antique Bronze+Wood Grain
RPM: Max 200



BL-2812-WL-AB

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Iron/5 PCS
Color: Antique Bronze
RPM: Max 230



BL-2939-BK

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Color: Black
RPM: Max 200

**BL-2764-BK-WH**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+White
RPM: Max 210
Certification: CE,RoHS

**BL-2820-BK-WH**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/19W
Color: Black+White
RPM: Max 220
Certification: CB,CE,RoHS

**BL-2763-COF**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Coffee
RPM: Max 210
Certification: CE,RoHS

**BL-2761-BK-WH**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Color: Black+White
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2755-LWG**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Light Wood Grain
RPM: Max 210
Certification: CE,RoHS

**BL-2761-WH**

Motor: DC 40W
Voltage/Frequency: 110~240V/50~60Hz
Size: 48"
Blade: ABS/3 PCS
Color: White
RPM: Max 220
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2227-WH-LWG

Motor: DC 35W/AC 60W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 48"
 Blade: ABS/3 PCS
 Light Source: LED PCB/18W
 Color: White+Light Wood Grain
 RPM: Max 220
 Certification: CB,CE,RoHS



BL-2508-AB-LWG

Motor: DC 35W/AC 60W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 48"
 Blade: ABS/3 PCS
 Light Source: LED PCB/24W
 Color: Antique Bronze+Light Wood Grain
 RPM: Max 270
 Certification: CB



BL-2679-SN-LWG

Motor: DC 35W/AC 60W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 48"
 Blade: ABS/3 PCS
 Light Source: LED PCB/18W
 Color: Sand Nickel+Light Wood Grain
 RPM: Max 270
 Certification: CB,CE,RoHS



BL-2678-52-XD-BK-LWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Black+Light Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2678-52-AB-LWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/3 PCS
Color: Antique Bronze+Light Wood Grain
RPM: Max 250
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2678-46-BK-DWG

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 46"
Blade: ABS/3 PCS
Color: Black+Dark Wood Grain
RPM: Max 280
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2720-SN-SV

Motor: DC 40W/AC 60W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 190
Certification: ETL,CB,CE,RoHS



BL-2009-COF-DWG

Motor: DC 40W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 48"
Blade: Composite Board/3 PCS
Light Source: LED PCB/24W
Color: Coffee+Dark Wood Grain
RPM: Max 210
Certification: CB,CE,RoHS

**BL-2757-BU**

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LED PCB/24W
Color: Blue
RPM: Max 280
Certification: CB,CE,RoHS

**BL-2757-WH**

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 280
Certification: CB,CE,RoHS

**BL-2757-COF**

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LED PCB/24W
Color: Coffee
RPM: Max 280
Certification: CB,CE,RoHS

**BL-2757-BK**

Motor: DC 35W
Voltage/Frequency: 110~240V/50~60Hz
Size: 44"
Blade: PC+PA/3 PCS
Light Source: LED PCB/24W
Color: Black
RPM: Max 280
Certification: CB,CE,RoHS

**BL-602-BK-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: ABS/4 PCS
Light Source: E27*3
Color: Black With Gold Brush+Wood Grain
RPM: Max 180
Certification: CE,RoHS

**BL-1513-BK-WG**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: LED PCB/18W
Color: Black With Brush Gold+Wood Grain
RPM: Max 210

**BL-2843-WH-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Wood leaf/5 PCS
Color: White+Wood Grain
RPM: Max 150
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2843-BK-WG**

Motor: DC 40W/AC 70W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: Wood leaf/5 PCS
Color: Black+Wood Grain
RPM: Max 150
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2179-BK-YE-SV**

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/18W
Color: Black+Yellow+Silver
RPM: Max 280
Certification: CE



BL-1092-B-WL-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Color: White+Multi-Color
RPM: Max 270
Certification: CE,RoHS



BL-1092-A-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: LED PCB/18W
Color: White+Multi-Color
RPM: Max 280
Certification: CE,RoHS



BL-1092-B-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/5 PCS
Light Source: LED PCB/18W
Color: White+Multi-Color
RPM: Max 270
Certification: CE,RoHS



BL-2112-WL-SN-WG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Color: Sand Nickel+Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2112-SN-WG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W
Color: Sand Nickel+Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2112-GY-SV

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W
Color: Grey+Silver
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2112-WL-SN-MG

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W-19W-18W
Color: Sand Nickel+Maple Wood Grain
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2112-YE-SV

Motor: DC 35W/AC 65W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/19W
Color: Yellow+Silver
RPM: Max 285
Certification: CB,CE,RoHS
Australia Certification: SGS/210096

**BL-2380-GN-WH**

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: Green+White
RPM: Max 240
Certification: CB,CE,RoHS

**BL-2380-WH**

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS

**BL-2380-GY-SV**

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: Grey+Sliver
RPM: Max 240
Certification: CB,CE,RoHS

**BL-2530-YE-WH**

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Yellow+White
RPM: Max 240
Certification: CB,CE,RoHS

**BL-2530-WH**

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS

**BL-2530-SN-SV**

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: CB,CE,RoHS

**BL-2530-BU-WH**

Motor: DC 25W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
42"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Blue+White
RPM: Max 240
Certification: CB,CE,RoHS



BL-2069-BK-WG

Motor: DC 20W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"
Blade: Composite Board/4 PCS
Light Source: LED PCB/18W
Color: Black With Bursh Gold+Wood Grain
RPM: Max 250
Certification: CB



BL-1650-BK

Motor: DC 20W/AC 45W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: Composite Board/3 PCS
Light Source: LED PCB/18W
Color: Black
RPM: Max 350
Certification: CB,CE,RoHS



BL-1096-WH-MC

Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 30"
Blade: Composite Board/6 PCS
Light Source: LED PCB/30W
Color: White+Multi-Color
RPM: Max 280
Australia Certification: SGS/210096

**BL-2088-MC**

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Muti-Color
RPM: Max 260
Certification: CB,CE,RoHS

**BL-2066-WH**

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 260
Certification: CB,CE,RoHS

**BL-2066-WH-WG**

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: White+Wood Grain
RPM: Max 260
Certification: CB,CE,RoHS



BL-2066-GN-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 260
Certification: CB,CE,RoHS



BL-2066-BU-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Blue+White
RPM: Max 260
Certification: CB,CE,RoHS



BL-2066-PK-WH

Motor: DC 30W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size:
36"
Blade: ABS/5 PCS
Light Source: LED PCB/24W
Color: Pink+White
RPM: Max 260
Certification: CB,CE,RoHS

**BL-1083-WH**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White
RPM: Max 280
Certification: CB,CE,RoHS

**BL-1083-SN-GY**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Sand Nickel+Grey
RPM: Max 280
Certification: CB,CE,RoHS

**BL-1083-PK-WH**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Pink+White
RPM: Max 280
Certification: CB,CE,RoHS

**BL-1083-BK-MC**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS

**BL-1083-BU-WH**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Blue+White
RPM: Max 280
Certification: CB,CE,RoHS

**BL-1083-WH-MC**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: White+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS

**BL-1083-GN-MC**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+Multi-Color
RPM: Max 280
Certification: CB,CE,RoHS

**BL-1083-GN-WH**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+White
RPM: Max 280
Certification: CB,CE,RoHS

**BL-1083-GN-GY**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green+Grey
RPM: Max 280
Certification: CB,CE,RoHS



BL-2506-COF
Motor: DC 35W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 34"
Blade: ABS
Light Source: LED PCB/24W
Color: Coffee
RPM: Max 260
Certification: CB,CE,RoHS



BL-2038-BK
Motor: DC 35W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Black
RPM: Max 270
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2123-GN
Motor: DC 35W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: ABS/3 PCS
Light Source: LED PCB/24W
Color: Green
RPM: Max 270
Certification: CB,CE,RoHS



BL-2400-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/ 4 PCS
Light Source: E27*5
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2835-SG-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold+Black
RPM: Max 240
Certification: CB
Australia Certification: SGS/210096



BL-2401-WW

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: E27*5
Color: Weather Wood
RPM: Max 240
Certification: CB,CE,RoHS,ErP
Australia Certification: SGS/210096



BL-2873-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CE,RoHS



BL-2874-SG-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold+Black
RPM: Max 240
Certification: CE,RoHS



BL-2878-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240
Australia Certification: SGS/210096



BL-2863-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240



BL-2191-AB

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Antique Bronze
RPM: Max 240

**BL-2767-CH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/46W
Color: Chrome
RPM: Max 240
Certification: CB,CE,RoHS

**BL-2171-CH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Chrome
RPM: Max 240
Certification: CE,RoHS

**BL-2171-SG**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: 235
Certification: CE,RoHS



BL-2188-CH

Motor: DC 38W/AC 55W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 42"/48"
 Blade: PC/4 PCS
 Light Source: LED PCB/36W
 Color: Chrome
 RPM: Max 240



BL-1639-CH

Motor: DC 38W/AC 55W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 42"/48"
 Blade: PC/4 PCS
 Light Source: LED PCB/36W
 Color: Chrome
 RPM: Max 240



BL-1639-SG

Motor: DC 38W/AC 55W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 42"/48"
 Blade: PC/4 PCS
 Light Source: LED PCB/36W
 Color: S Gold
 RPM: Max 240

**BL-2563-BK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240

**BL-2562-GD**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Gold
RPM: Max 240

**BL-2921-SG**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CE



BL-2555-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



BL-2551-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



BL-2561-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



BL-2920-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



BL-2564-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



BL-2410-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240
Certification: CB,CE,RoHS,ErP



BL-2410-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: White
RPM: Max 240
Certification: CB,CE,RoHS,ErP



BL-2410-SN

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: Sand Nickel
RPM: Max 240
Certification: CB,CE,RoHS,ErP



BL-2410-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS,ErP



BL-2450-WH-PK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: White+Pink
RPM: Max 240
Certification: ETL,CB,CE,RoHS
Australia Certification: SGS/210096



BL-2450-WH-WG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: White+Wood Grain
RPM: Max 240
Certification: ETL,CB,CE,RoHS
Australia Certification: SGS/210096



BL-2450-WH-BU

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: White+Blue
RPM: Max 240
Certification: ETL,CB,CE,RoHS
Australia Certification: SGS/210096



BL-2450-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: White
RPM: Max 240
Certification: ETL,CB,CE,RoHS
Australia Certification:SGS/210096



BL-2450-WH-GY

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: White+Grey
RPM: Max 240
Certification: ETL,CB,CE,RoHS
Australia Certification: SGS/210096



BL-2450-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: Coffee
RPM: Max 240
Certification: ETL,CB,CE,RoHS
Australia Certification:SGS/210096



BL-1816-AB

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Antique Bronze
RPM: Max 240
Certification: CE,RoHS
Australia Certification: SGS/210096



BL-1816-RGD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Rose Gold
RPM: Max 240
Certification: CE,RoHS
Australia Certification: SGS/210096



BL-2650-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: Coffee
RPM: Max 240
Certification: CB,CE,RoHS



BL-2661-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: Gold
RPM: Max 240
Certification: CE,RoHS



BL-2914-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Gold
RPM: Max 240



BL-1777-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: S Gold
RPM: Max 240



BL-1777-SN-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36WW
Color: Sand Nickel+Silver
RPM: Max 240



BL-1851-SG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240

**BL-2553-WH-COF**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Coffee
RPM: Max 240

**BL-1566-SG**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: S Gold
RPM: Max 240
Certification: CB,CE,RoHS

**BL-2768-SG**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CB

**BL-2768-SN**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Sand Nickel
Certification: Max 240
RPM: CB

**BL-6094-SG**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/32W
Color: S Gold
RPM: Max 295

**BL-6094-AB-SV**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/32W
Color: Antique Bronze
RPM: Max 295

**BL-2868-BK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS

**BL-2717-BK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 240
Certification: CB

**BL-2717-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CB



BL-2930-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: LED PCB/36W
Light Source: PC/4 PCS
Color: Black
RPM: Max 240



BL-2924-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Coffee
RPM: Max 240



BL-2887-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240



BL-2844-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240



BL-2924-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 240



BL-1524-BT-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: White
RPM: Max 240
Certification: ETL
*With Bluetooth



BL-1524-BT-SN-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: ETL
*With Bluetooth



BL-1524-BT-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: Black
RPM: Max 240
Certification: ETL
*With Bluetooth



BL-1524-BT-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: S Gold
RPM: Max 240
Certification: ETL
*With Bluetooth



BL-1524-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: White
RPM: Max 240
Certification: ETL



BL-1524-SN-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: ETL



BL-1524-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: Black
RPM: Max 240
Certification: ETL



BL-1524-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/74W
Color: S Gold
RPM: Max 240
Certification: ETL



BL-6524-WH

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 295
Certification: CB



BL-6524-BK

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 295
Certification: CB



BL-2212-WH-WG

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/76W
Color: White+Wood Grain
RPM: Max 240
Certification: CE,RoHS
Australia Certification: SGS/210096



BL-2235-WH-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/58W
Color: White+Black
RPM: Max 240
Certification: CE,RoHS
Australia Certification: SGS/210096



BL-2132-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



BL-2919-WH-COF

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Coffee
RPM: Max 240



BL-2114-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CB,CE,RoHS



BL-2896-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240



BL-2540-XD-WH

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
Certification: CE
Australia Certification: SGS/210096



BL-2540-WH-SV

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Siver
RPM: Max 240
Certification: CE,RoHS
Australia Certification: SGS/210096

**BL-2935-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240

**BL-2849-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240

**BL-2849-WH-BK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Black
RPM: Max 240

**BL-2556-WH-GD**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Gold
RPM: Max 240

**BL-2566-WH-BK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Black
RPM: Max 240

**BL-2159-SN-SV**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/72W
Color: Sand Nickel+Silver
RPM: Max 240
Certification: CB,CE,RoHS

**BL-1540-GD**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
Certification: CB,CE,RoHS
*With bluetooth

**BL-1688-AB**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/60W
Color: Antique Bronze
RPM: 235
Certification: CE,RoHS

**BL-1689-AB**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/60W
Color: Antique Bronze
RPM: Max 240

**BL-2931-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
*With Bluetooth

**BL-2932-WH-GY**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Grey
RPM: Max 240
*With Bluetooth

**BL-2666-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
*With Bluetooth

**BL-2932-BK-COF**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black+Coffee
RPM: Max 240
*With Bluetooth

**BL-2668-WH**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 240
*With Bluetooth

**BL-2758-SG**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: S Gold
RPM: Max 240
*With Bluetooth

**BL-2795-PK**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Pink
RPM: Max 240

**BL-6933-WH-PK**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Pink
RPM: Max 240

**BL-2794-BU**

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Blue
RPM: Max 240

**BL-6934-WH-BU**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Blue
RPM: Max 240

**BL-6450-WH-WG**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Wood Grain
RPM: Max 295
Certification: CB,CE,RoHS

**BL-6450-COF**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size: 36"

Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 295
Certification: CB,CE,RoHS

**BL-6450-WH**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size: 36"

Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White
RPM: Max 295
Certification: CB,CE,RoHS

**BL-6450-WH-GY**

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz Size: 36"

Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: White+Grey
RPM: Max 295
Certification: CB,CE,RoHS



BL-6650-COF

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Coffee
RPM: Max 295



BL-6548-BK

Motor: DC 30W/AC 50W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 36"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black
RPM: Max 295



BL-2769-SG

Motor: DC 50W/AC 80W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 52"
Blade: PC/4 PCS
Light Source: LED PCB/60W
Color: S Gold
RPM: Max 190



BL-2512-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/30W
Color: Black+Gold
RPM: Max 240
Certification: CB,CE,RoHS



BL-2514-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/68W
Color: Black+Gold
RPM: Max 240
Certification: CB,CE,RoHS



BL-2517-BK

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: E27*10
Color: Black
RPM: Max 240
Certification: CB,CE,RoHS



BL-2513-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: G9*8
Color: Black+Gold
RPM: Max 240
Certification: CB,CE,RoHS



BL-2521-BK-GD

Motor: DC 38W/AC 55W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 42"/48"
 Blade: PC/4 PCS
 Light Source: G9*8
 Color: Black+Gold
 RPM: Max 240
 Certification: CE,RoHS



BL-2911-BK-GD

Motor: DC 38W/AC 55W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 42"/48"
 Blade: PC/4 PCS
 Light Source: LED PCB/40W
 Color: Black+Gold
 RPM: Max 240



BL-2910-BK-GD

Motor: DC 38W/AC 55W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 42"/48"
 Blade: PC/4 PCS
 Light Source: LED PCB/48W
 Color: Black+Gold
 RPM: Max 240



BL-2519-BK-GD

Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/36W
Color: Black+Gold
RPM: Max 240
Certification: CB,CE,RoHS



BL-2910-WH-GD
Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB/48W
Color: White+Gold
RPM: Max 240



BL-2928-WH-GD
Motor: DC 38W/AC 55W
Voltage/Frequency: 110~240V/50~60Hz;
110~130V/60Hz;220~240V/50Hz
Size: 42"/48"
Blade: PC/4 PCS
Light Source: LED PCB+E14*6/144W
Color: White+Gold
RPM: Max 240



BL-2915-WH

Motor: DC 38W/AC 55W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 42"/48"
 Blade: PC/4 PCS
 Light Source: LED PCB /52W
 Color: White
 RPM: Max 240
 Australia Certification: SGS/210096



BL-2937-WH-GY

Motor: DC 38W/AC 55W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 42"/48"
 Blade: PC/4 PCS
 Light Source: LED PCB/72W
 Color: White+Grey
 RPM: Max 240



BL-2558-BK-GD

Motor: DC 38W/AC 55W
 Voltage/Frequency: 110~240V/50~60Hz;
 110~130V/60Hz;220~240V/50Hz
 Size: 42"/48"
 Blade: PC/4 PCS
 Light Source: LED PCB/72W
 Color: Black+Gold
 RPM: Max 240



BL-1016-AB-TR

Motor: AC 45W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 42"
Blade: PC/8 PCS
Light Source: LED PCB/48W
Color: Antique Bronze+Transparent
RPM: Max 235
Certification: CE,RoHS

BL-1016-AB-PK

Motor: AC 45W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 42"
Blade: PC/8 PCS
Light Source: LED PCB/48W
Color: Antique Bronze+Pink
RPM: Max 235
Certification: CE,RoHS



BL-1088-SN-TR

Motor: AC 45W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 42"
Blade: PC/8 PCS
Light Source: LED PCB/48W
Color: Sand Nickel+Transparent
RPM: Max 235
Certification: CE,RoHS



BL-1016-SN-TR

Motor: AC 45W
Voltage/Frequency: 110~130V/60Hz;
220~240V/50Hz
Size: 42"
Blade: PC/8 PCS
Light Source: LED PCB/48W
Color: Sand Nickel+Transparent
RPM: Max 235
Certification: CE,RoHS



BL-2718-PK

Motor: DC 30W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS
Light Source: LED PCB/19W
Color: Pink
RPM: Max 320
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-2718-WH

Motor: DC 30W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS
Light Source: LED PCB/19W
Color: White
RPM: Max 320
Certification: CB,CE,RoHS
Australia Certification:SGS/210096



BL-2718-GD

Motor: DC 30W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS
Light Source: LED PCB/19W
Color: Gold
RPM: Max 320
Certification: CB,CE,RoHS
Australia Certification:SGS/210096



BL-2718-SV



BL-2718-COF



BL-2718-BU

**BL-7009-COF-GD**

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: Coffee+Gold
RPM: Max 460
Certification: CB,CE,RoHS

**BL-7021-SG-GY**

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 800*400mm)
Blade: ABS/3 PCS
Light Source: LED PCB/40W
Color: Gold+Grey
RPM: Max 460

**BL-7014-COF-GD**

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: Coffee+Gold
RPM: Max 460
Certification: CB,CE

**BL-7008-COF-GD**

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: Coffee+Gold
RPM: Max 460
Certification: CB,CE,RoHS



BL-7006-WH

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: E14*6
Color: White
RPM: Max 460
Certification: CB,CE,RoHS



BL-7023-GD

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: E14*6
Color: Gold
RPM: Max 460



BL-7011-BK-GD

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: E27*6
Color: Black+Gold
RPM: Max 460
Certification: CB,CE,RoHS



BL-7012-WH-CH

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: White+Chrome
RPM: Max 460
Certification: CB,CE,RoHS



BL-7013-BK-GD

Motor: DC 22W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: ABS/3 PCS
Light Source: LED PCB/30W
Color: Black+Gold
RPM: Max 460
Certification: CB,CE,RoHS



BL-19215-RGD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Rose Gold
RPM: Max 380
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-19215-GDE

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Gold(Electric Plated)
RPM: Max 380
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-19215-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: White
RPM: Max 380
Certification: CB,CE,RoHS
Australia Certification:SGS/210096



BL-19215-SN

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Sand Nickel
RPM: Max 380
Certification: CB,CE,RoHS
Australia Certification: SGS/210096



BL-19215-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Coffee
RPM: Max 380
Certification: CB,CE,RoHS
Australia Certification:SGS/210096

**BL-19012-GD**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/68W
Color: Gold
RPM: Max 380
Australia Certification: SGS/210096

**BL-19012-COF**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/68W
Color: Coffee
RPM: Max 380
Australia Certification: SGS/210096

**BL-19010-BK**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/87W
Color: Black
RPM: Max 380
Certification: CE,RoHS

**BL-19022-SN**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 610*400mm)
Blade: PC/3 PCS
Light Source: LED/54W
Color: Sand Nickel+Transparent
RPM: Max 380

**BL-19013-BK**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: PC/3 PCS
Light Source: LED STRIP/58W
Color: Black
RPM: Max 380
Certification: ETL
Australia Certification: SGS/210096

**BL-19013-COF**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: PC/3 PCS
Light Source: LED STRIP/58W
Color: Coffee
RPM: Max 380
Certification: ETL
Australia Certification: SGS/210096

**BL-19220-WH**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: White
RPM: Max 380
Certification: CB,CE,RoHS

**BL-19221-COF**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/82W
Color: Coffee
RPM: Max 380
Certification: CB,CE,RoHS
Australia Certification:SGS/210096

**BL-19222-SV**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 660*500mm)
Blade: PC/3 PCS
Light Source: LED STRIP/58W
Color: Silver
RPM: Max 380
Certification: CE,RoHS



BL-19001-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/85W
Color: Gold
RPM: Max 380
Certification: ETL,CB,CE,RoHS
Australia Certification:SGS/210096



BL-19001-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/85W
Color: White
RPM: Max 380
Certification: ETL,CB,CE,RoHS
Australia Certification: SGS/210096



BL-19001-SN

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/85W
Color: Sand Nickel
RPM: Max 380
Certification: ETL,CB,CE,RoHS
Australia Certification: SGS/210096



BL-19001-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/85W
Color: Coffee
RPM: Max 380
Certification: ETL,CB,CE,RoHS
Australia Certification: SGS/210096



BL-19009-3-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 680*500mm)
Blade: PC/3 PCS
Light Source: LED PCB/58W
Color: Coffee
RPM: Max 380
Certification: CB,CE,RoHS
Australia Certification:SGS/210096



BL-19229-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: PC/3 PCS
Light Source: E14x 6
Color: White
RPM: Max 380
Certification: CE,RoHS



BL-19009-5-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 760*500mm)
Blade: PC/3 PCS
Light Source: LED PCB/82W
Color: Coffee
RPM: Max 380
Certification: CE,RoHS
Australia Certification:SGS/210096



BL-19226-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"
Blade: PC/3 PCS
Light Source: E14x 6
Color: Coffee
RPM: Max 380
Certification: CE,RoHS



BL-19030-A-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*500mm)
Blade: PC/3 PCS
Light Source: LED/62W
Color: White+Transparent
RPM: Max 380



BL-19030-B-WH

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*500mm)
Blade: PC/3 PCS
Light Source: LED/62W
Color: White+Transparent
RPM: Max 380



BL-19032-BK

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 730*450mm)
Blade: PC/3 PCS
Light Source: LED/54+18W
Color: Gold+Transparent
RPM: Max 380



BL-19032-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 730*450mm)
Blade: PC/3 PCS
Light Source: LED/54+18W
Color: Gold+Transparent
RPM: Max 380



BL-19005-BK

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody: 800*550mm)
Blade: PC/3 PCS
Light Source: G9*16
Color: Black
RPM: Max 380
Certification: CB,CE,RoHS



BL-19018-SG-BU

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 710*450mm)
Blade: PC/3 PCS
Light Source: LED PCB/65W
Color: S Gold+Blue
RPM: Max 380



BL-19020-COF-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 680*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/65W
Color: Coffee+Gold
RPM: Max 380
Australia Certification: SGS/210096



BL-19021-COF-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 680*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/87W
Color: Coffee+Gold
RPM: Max 380
Australia Certification:SGS/210096



BL-19021-COF

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 680*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/87W
Color: Coffee
RPM: Max 380
Australia Certification:SGS/210096



BL-19025-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 650*630mm)
Blade: PC/3 PCS
Light Source: LED STRIP/65W
Color: Black+Gold
RPM: Max 380



BL-19029-6-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 750*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/60W
Color: Black+Gold
RPM: Max 380



BL-19027-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 650*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/55W
Color: Black+Gold
RPM: Max 380



BL-19029-8-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 750*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/80W
Color: Black+Gold
RPM: Max 380



BL-19026-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 710*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/85W
Color: Black+Gold
RPM: Max 380



BL-19028-BK-GD

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 670*600mm)
Blade: PC/3 PCS
Light Source: LED STRIP/60W
Color: Black+Gold
RPM: Max 380

**BL-19036A-GD**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Gold(painted)
RPM: Max 380

**BL-19038A-GD**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Gold(painted)
RPM: Max 380

**BL-19036A-COF**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Coffee
RPM: Max 380

**BL-19038A-COF**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Coffee
RPM: Max 380

**BL-19036A-BK**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Black
RPM: Max 380

**BL-19038A-BK**

Motor: DC 38W
Voltage/Frequency: 110~240V/50~60Hz
Size: 22"(Lampbody 630*450mm)
Blade: PC/3 PCS
Light Source: LED STRIP/72W
Color: Black
RPM: Max 380



BL-19037A-BK

Motor: DC 38W

Voltage/Frequency: 110~240V/50~60Hz

Size: 22"(Lampbody 630*450mm)

Blade: PC/3 PCS

Light Source: LED STRIP/54W

Color: Black

RPM: Max 380



BL-19037A-GD

Motor: DC 38W

Voltage/Frequency: 110~240V/50~60Hz

Size: 22"(Lampbody 630*450mm)

Blade: PC/3 PCS

Light Source: LED STRIP/54W

Color: Gold(painted)

RPM: Max 380