

云宿最新产品代表JINSOUL Representative of the latest products




Y5 长度: 8.5m 宽度: 3.3m 高度: 3.2m 建筑面积: 28m²



C5 长度: 5.5m 宽度: 3.3m 高度: 3.2m 建筑面积: 18m²



Y7mini 长度: 8.5m 宽度: 3.3m 高度: 3.2m 建筑面积: 28m²



Y7 长度: 11.5m 宽度: 3.3m 高度: 3.2m

建筑面积: 38m²



苹果舱 长度: 8.5m 宽度: 3.3m 高度: 3.2m

建筑面积: 28m

Y5太空舱 基础配置清单 E5The capsule List of the underlying configuration

外围护体系

- 镀锌钢结构框架体系
- 氟碳喷涂铝合金外壳模块
- 保温防水防潮构造体系
- 中央钢化玻璃门窗
- 中央夹胶钢化玻璃天窗
- 铝合金入户门
- 全景阳台
- Galvanized steel frame system
- Fluorocarbon sprayed aluminum alloy housing module
- Thermal insulation waterproof moisture-proof structural system
- Central toughened glass, doors and windows
- · Central toughened glass skylight
- Aluminum alloy entrance door
- Panoramic balcony

室内精装

- 标准色集成天花、墙面模块
- 环保木地板
- 卫生间隐私玻璃门
- 卫生间大理石/瓷砖地面
- 定制洗手台/台盘/卫浴镜
- 马桶/龙头/花洒
- 吧台
- 全屋照明系统
- 全屋水电系统
- 2P美的变频冷暖空调
- 万家乐热水器
- Standard color integrated ceiling, Wall module
- Eco-friendly wood flooring
- Bathroom privacy glass door
- Bathroom Marble/tile floor
- Custom-made sink/tray/bathroom mirror
- Toilet/faucet/shower
- The bar
- Whole House lighting system
- The whole house water and electricity system
- 2p Midea frequency conversion heating and cooling air conditioning
- The WANJIALE water heater

客控系统

- 插卡取电/取卡断电面板
- 多情景模式功能面板照明
- 照明/窗帘智能集成控制
- 全屋智能语音控制
- 手机智能门禁
- Card Access/access card power cutoff panel
- Multi-scene mode feature panel lighting
- Intelligent integrated lighting/curtain control
- Full House intelligent voice control
- Smart phones Access

加配项目

- 墙体双层保温结构
- 电辅热地暖
- 底部发泡
- Wall double-layer thermal insulation structure
- Electric auxiliary heating heating
- Foaming at the bottom

Y7太空舱 基础配置清单 E7The capsule List of the underlying configuration

外围护体系

- 镀锌钢结构框架体系
- 氟碳喷涂铝合金外壳模
- 保温防水防潮构造体系
- 中央钢化玻璃门窗
- 中央夹胶钢化玻璃天窗
- 铝合金入户门
- 全暑阳台
- Galvanized steel frame system
- Fluorocarbon sprayed aluminum alloy housing module
- Thermal insulation waterproof moisture-proof structural system
- Central toughened glass, doors and windows
- Central toughened glass skylight
- Aluminum alloy entrance door
- Panoramic balcony

- 标准色铝板天花
- 环保木地板 (电地暖专用地板)
- 卫生间隐私玻璃门
- 卫生间大理石/瓷砖地面
- 定制洗手台/台盘/卫浴镜
- 马桶/龙头/花洒
- 全屋水电系统
- 2P美的变频冷暖空调
- 万家乐热水器
- 墙身色面板
- 所有墙身色板
- 防火烫锁扣地板
- 窗帘标配
- 天花小音箱/小度
- Standard color aluminum panel ceiling
- Eco-friendly wood flooring (Electric floor heating special floor)
- Bathroom privacy glass door
- Bathroom Marble/tile floor
- Custom-made sink/tray/bathroom mirror
- Toilet/faucet/shower
- Whole House lighting system
 The whole house water and electricity system
- 2p Midea frequency conversion heating and cooling air conditioning
- The WANJIALE water heater
- Wall color panel- 160
- All wall color panels-120
- Fire-resistant hot-lock floor KMG03
- Standard issue Curtains
- Smallpox speakers (XIAODU)

- 插卡取电/取卡断电面板
- 多情景模式功能面板照明
- 照明/窗帘智能集成控制
- 全屋智能语音控制
- 手机智能门禁
- Card Access/access card power cutoff panel
- Multi-scene mode feature panel lighting
- Intelligent integrated lighting/curtain control
- Full House intelligent voice control
- Smart phones Access

- 墙体双层保温结构
- 电辅热地暖
- 底部发泡
- Wall double-layer thermal insulation structure
- Electric auxiliary heating heating
- Foaming at the bottom

C5太空舱 基础配置清单 C5The capsule List of the underlying configuration

外围护体系

- 镀锌钢结构框架体系
- 氟碳喷涂铝合金外壳模块
- 保温防水防潮构造体系
- 中央钢化玻璃门窗
- 中央夹胶钢化玻璃天窗
- 铝合金入户门
- 全景阳台
- Galvanized steel frame system
- Fluorocarbon sprayed aluminum alloy housing module
- Thermal insulation waterproof moisture-proof structural system
- Central toughened glass, doors and windows
- Central toughened glass skylight
- Aluminum alloy entrance door
- Panoramic balcony

室内精装

- 标准色集成天花、墙面模块
- 环保木地板
- 卫生间隐私玻璃门
- 卫生间大理石/瓷砖地面
- 定制洗手台/台盘/卫浴镜
- 马桶/龙头/花洒
- 吧台
- 全屋照明系统
- 全屋水电系统
- 2P美的变频冷暖空调
- 万家乐热水器
- Standard color integrated ceiling, Wall module
- Eco-friendly wood flooring
- Bathroom privacy glass door
- Bathroom Marble/tile floor
- Custom-made sink/tray/bathroom mirror
- Toilet/faucet/shower
- The bar
- Whole House lighting system
- The whole house water and electricity system
- 2p Mideai frequency conversion heating and cooling air conditioning
- The WANJIALE water heater

客控系统


- 插卡取电/取卡断电面板
- 多情景模式功能面板照明
- 照明/窗帘智能集成控制
- 全屋智能语音控制
- 手机智能门禁
- Card Access/access card power cutoff panel
- Multi-scene mode feature panel lighting
- Intelligent integrated lighting/curtain control
- Full House intelligent voice control
- Smart phones Access

加配项目

- 墙体双层保温结构
- 电辅热地暖
- 底部发泡
- Wall double-layer thermal insulation structure
- Electric auxiliary heating heating
- Foaming at the bottom

Y7mini太空舱

基础配置清单 Y7 The capsule List of the underlying configuration



外围护体系

镀锌钢结构框架体系 氟碳喷涂铝合金外壳模 保温防水防潮构造体系 中央钢化玻璃门窗 中央夹胶钢化玻璃天窗

- 全景阳台
- Galvanized steel frame system

铝合金入户门

- Fluorocarbon sprayed aluminum
- alloy housing module Thermal insulation waterproof
- moisture-proof structural system
- Central toughened glass, doors and windows Central toughened glass skylight Aluminum alloy entrance door Panoramic balcony

- 标准色铝板天花
- 环保木地板 (电地暖专用地板)
- 卫生间隐私玻璃门
- 卫生间大理石/瓷砖地面
- 定制洗手台/台盘/卫浴镜
- 马桶/龙头/花洒
- 全屋水电系统
- 2P美的变频冷暖空调
- 万家乐热水器
- 墙身色面板
- 所有墙身色板
- 防火烫锁扣地板
- 窗帘标配
- 天花小音箱/小度
- Standard color aluminum panel ceiling
- Eco-friendly wood flooring (Electric floor heating special floor)
- Bathroom privacy glass door
- Bathroom Marble/tile floor
- Custom-made sink/tray/bathroom mirror
- Toilet/faucet/shower
- Whole House lighting system
 The whole house water and electricity system
- 2p Midea frequency conversion heating and cooling air conditioning
- The WANJIALE water heater
- Wall color panel- 160
- All wall color panels- 120
- Fire-resistant hot-lock floor KMG03
- Standard issue Curtains
- Smallpox speakers (XIAODU)

- 插卡取电/取卡断电面板
- 多情景模式功能面板照明
- 照明/窗帘智能集成控制
- 全屋智能语音控制
- 手机智能门禁
- Card Access/access card power cutoff panel
- Multi-scene mode feature panel lighting
- Intelligent integrated lighting/curtain control
- Full House intelligent voice control
- Smart phones Access

- 墙体双层保温结构
- 电辅热地暖
- 底部发泡
- Wall double-layer thermal insulation structure
- Electric auxiliary heating heating
- Foaming at the bottom



语音智能控制模组voice IntelligentcontrolModule

卧室窗帘 Bedroom curtains	卧室氛围灯 Bedroom ambiance lamp	阳台灯 Balcony lamp	外部灯带 External light strip	空调控制 Air conditioning control
卧室天幕 The sky over the bedroom	床头灯 Bedside lamp	过道灯 Aisle lights	新风系统 Fresh air system	智能控制器 Intelligent Controller

口令: 小度小度, 打开/关闭 Password: xiaoduxiaodu, Open/close

Space capsule External structure specification (E 7 as an example)

太空舱外部结构说明 (一)

Space capsule External structure specification (1)

分区 su bzone	型号材质参数 Model material parameter	注释 annotation
尺寸 dimension	长: 11.5m 宽: 3.3m 高: 3.2m Length: 11.5m Width: 3.3m Height: 3.2m	一室一厅一卫一阳台 One bedroom, one living room, one bathroom and one balcony
外売铝板 Aluminium plate She II	2.5mm 【国标】 含铝量99.3% 2.5mm [National standard] Aluminum content 99.3%	铝板颜色可定制 Aluminum plate color can be customized
外壳玻璃 Shell glass	双层中空LOW-E 玻璃 6+12A+6 Double hollow LOW-E glass 6+12A+6	隔热、抗辐射,隔绝紫外线 Heat insulation, radiation resistance, isolation of ultraviolet rays

铝板颜色可定制,或可不同分 区颜色定制

The color of the aluminum plate can be customized, or different partition colors can be customized

双层中空 LOW-E 玻璃

Double hollow LOW-E glass



Space capsule External structure specification (E 7 as an example)

太空舱外部结构说明 (二)

Space capsule External structure specification (2)

分区	型号材质参数	注释
su bzone	Model material parameter	annotation
设备间 Equip me nt room	设备间: E7设备间具体 展示 Device room: E7 device room	优势: 碳晶板隔热、导热系数高,耐用性强,不易变形 Advantages: carbon crystal plate heat insulation, high thermal conductivity, strong durability, not easy to deformation



Space capsule External structure specification (E 7 as an example)

阳台双层纱窗门 Balcony double screen door 阳台LOW-E异型防护玻璃 Balcony LOW-E special type protective glass

户外照明射灯 Outdoor lighting spotlights

太空舱外部结构说明 (三)


Space capsule External structure specification (3)

分区 su b zone	型号材质参数 Model material parameter	注释 annotation	
	户外塑木地板25mm (原木色) Outdoor Wooden Plastic wood floor 25mm (raw wood color)	因为设计了全景观景台, 无立柱支撑结构, 若铝合金护栏作为经常被人为接触产生压力导致变形因素, 容易导致玻璃	
かな	阳台户外照明射灯 Balcony outdoor lighting spotlights	研製 , 产生安全隐患 , 所以采用硬度及 韧性更高的不锈钢材质 Due to the design of the panoramic observation platform, there is no column support structure,	
外拓 观景 阳台 extension view balcony	外拓不锈钢围栏 Outer extension stainless steel fence	aluminum alloy guardrail if often subjected to human contact pressure caused by deformation factors, easy to lead to glass breakage, resulting in safety risks, so the hardness and toughness of stainless steel materials are high	
	阳台异型防护玻璃 Balcony shaped protective glass	双层夹胶LOW-E 玻璃 6+6 Double laminated LOW-E glass 6+6	
	阳台双层门:铝合金玻璃门+精 钢防盗纱窗门 Balcony double door: aluminum alloy glass door + steel anti-theft screen door	6+12A+6钢化玻璃 6+12A+6 tempered glass	









不锈钢围栏 Stainless steel fence

塑木地板 Plastic wood floor

Space capsule External structure specification (E 7 as an example)

太空舱外部结构说明 (三)

Space capsule External structure specification (3)

分区	型号材质参数	注释
su bzone	Model material parameter	an notation
外壳铝板 Alu miniu m plate Shell	2.5mm 【国标】 2.5mm [National standard]	铝板颜色可定制 Aluminum plate color can be customized
外壳玻璃 Shell glass	双层中空LOW-E 玻璃 6+12A+6 Double hollow LOW-E glass 6+12A+6	隔热、抗辐射,隔绝紫外线 Heat insulation, radiation resistance, isolation of ultraviolet rays
密码锁	户外防水四合一智能密码锁	机械、密码、指纹、手机解锁
Comb in ati	Outdoor waterproof 4-in-1	Mechanical, password, swipe card,
on lock	smart combination lock	mobile phone unlock

入户门 (不锈钢)

Entrance door (stainless steel)

户外防水四合—智能密码锁 Outdoor waterproof 4-in-1 smart







Space capsule External structure specification (E 7 as an example)

太空舱外部结构说明 (四)

Space capsule External structure specification (4)

分区 su bzone	型号材质参数 Model material parameter	注释 annotation
外部灯饰 Exter nal Lighting	外部氛围暖光24V 灯带 External ambient warm light with 24V lamp band	外部氛围灯带会提升园区内整体亮化效果,提升用户的拍照打卡欲望,给景区流量带来提升,为太空舱的必备项 The external atmosphere light belt will enhance the overall brightening effect in the park, enhance the user's desire to take photos and punch cards, and improve the flow of the scenic area, which is a necessary item for the space capsule
底部支撑 脚固定件 Bottom su pport foot fastener	热镀锌钢 300* 300*20 Hot-dip galvanized steel 300 * 300 * 20	加厚支撑脚,增强稳固抗风等级,抗台风设计稳固结构 Thicken the supporting feet, enhance the stability of anti-wind grade, anti-typhoon design solid structure





Space capsule Description of internal structure (E 7 as an example)

太空舱内部结构说明 (一)

Space capsule Description of internal structure (1)

分区 su b zone	型号材质参数 Model material parameter	注释 a n notation
入户 玄关	入门玄关柜 (大理 石)	提升消费者对于入门第一眼家具整 体高端民宿系统的第一印象概念
Entry Door Cabinet	Entry Door Cabinet (marble)	Enhance the consumer's first impression of the overall high-end home-stay furniture system

入门玄关柜 Entry Door Cabinet



Space capsule Description of internal structure (E 7 as an example)


太空舱内部结构说明 (二)

Space capsule Description of internal structure (2)

分区 su bzone	功能 Function	型号材质参数 Model material parameter	注释 a n notation
	吊顶 The ceiling	全铝圆润异型天花吊顶 2.0mm Full aluminum round shaped ceiling 2.0 mm	增加整体空间美学立体感 ,光学空间增大效应 Increase the overall space aesthetic three - dimensional, optical space to increase the effect
	灯饰 Lighting	吊顶暖光氛围灯带 Ceiling warm light atmosphere lamp belt	景区亮化工程植入 The project of lightening scenic spot is implanted
客厅 Living Room	窗 Window	3层客厅铝合金防盗窗 3-story living room aluminum alloy anti-theft windows	铝合金窗 +精钢防盗纱窗 +安全防盗铝合金护 栏 Aluminum alloy window + steel anti-theft screen + security anti-theft aluminum alloy guardrail
	地板 The floor	防滑防腐耐磨木塑地板 Non - slip anti-corrosion wear - resistant wood - plastic floor	潮湿环境使用尽量不选用木地板,以防止长时间导致腐烂、软化后的掉漆、损伤、异味 Wet environment use as far as possible do not choose wood flooring, in order to prevent long- term lead to decay, softening paint, damage, odor

全铝天花吊顶 All aluminum ceiling

天花氛围灯带 Ceiling ambient light belt



3层客厅铝合金防盗窗 3-layer living room aluminum alloy Security window 防滑防腐耐磨木塑地板

Non -slip anti- corrosion wear resistant wood- plastic floor

Space capsule Description of internal structure (E 7 as an example)

太空舱内部结构说明 (三)

Space capsule Description of internal structure (3)

分区 su b zone	型号材质参数 Model material parameter	注释 annotation
	钢化玻璃天窗	8+8夹胶钢化玻璃
	The toughened glass skylight	8+8 laminated tempered glass
室個	蜂巢遮光隔热电动帘	遮光强日间遮光率95%
The bed room	Honeycomb shade and heat insulation electric curtain	Blackout intensity Daytime blackout rate is 95%
111111111111111111111111111111111111111	防滑防腐耐磨木塑地板	与客厅地板相同
	Non-slip anti-corrosion wear-resistant wood-plastic floor	Same as the living room floor

钢化玻璃天窗 The toughened glass skylight

蜂巢遮光隔热电动帘 Honeycomb shade and heat insulation electric curtain



防滑防腐耐磨木塑地板 Non-slip anti-corrosion wearresistant wood-plastic floor 阳台双层纱窗门 Balcony double screen door


Space capsule Description of internal structure (E 7 as an example)

太空舱内部结构说明 (四)

Space capsule Description of internal structure (4)

分区 su bzone	型号材质参数 Model material parameter	注释 an notation
遮光隔热 Shading a nd heat insulation	客厅遮光窗帘 Blackout curtains in the living room 卧室遮光窗帘 Bedroom blackout curtains	高密度科技布 遮光率: 90-92% High density technology cloth shading: 90-92%
电动轨道 Elect ric t rack	窗帘轨道集成系统(集成于 铝天花吊顶处) Curtain track integration system (integrated in aluminum ceiling)	工艺导致:稳定性强抗拉拽,遮光度好,轨道完全集成贴合外部不漏光窗帘根据客户需求按需定制,颜色、款式可定制he process results in: strong stability and drag resistance, good light shading, and the track is fully integrated and fitted with external light leakage Curtains can be customized according to customer needs, color and style can be customized

电动窗帘轨道集成系统 Electric curtain track integration system





科技布遮光窗帘展示效果 Technology cloth blackout curtain display effect

Space capsule Description of internal structure (E 7 as an example)

太空舱内部结构说明 (五)

Space capsule Description of internal structure (5)

分区 su b zone	型号材质参数 Model material parameter	注释 annotation
□淡王▽	地面&洗手台 ground&Wash basin	大理石材质 Marble material
卫浴干区 Bath room	化妆镜 Cosmetic mirror	美颜灯加热防雾化镜面 Beauty lamp heating anti-fogging mirror
dry area	卫浴马桶 Bathroom toilet	品牌: 九牧 Brand: Jiu mu
	卫生间入户门 Bathroom entry door	铝合金+长虹玻璃 印砂 (防窥) Aluminum alloy+Changhong glass printing sand (peep-proof)
	热水器 Water heater	美的热水器80L; 隐藏 Midea water heater 80L; hide
卫浴湿区	花洒、水龙头 Shower, faucet	品牌:九牧; 不锈钢亮面材质 Brand: Jiu Mu; Stainless steel glossy material
Bath room wet area	下水系统 Sewer system	九牧套件 iu mu suite
	排风机 Exhaust fan	品牌: 国内知名品牌 Brand: domestic well-known brands





Space capsule Description of internal structure (E 7 as an example)

太空舱内部结构说明 (六)

Space capsule Description of internal structure (6)

分区 su b zone	型号材质参数 Model material para meter	注释 a n notation
空调 air conditioner	【客厅】美的1.5P 变频中央空调 [Living room] Midea 1.5P Frequency conversion central air conditioning 【卧室】美的2P 变频中央空调 [Bedroom] Beautiful 2P Frequency conversion central air conditioning	美的品牌全国联保,售后快捷 Midea's brand is guaranteed nationwide, and the after-sales service is fast.
排风 air ex haust	新风系统 Fresh air system	24小时循环空气,循环量 500m³/小时,使房间一直保持 新鲜含氧量高的空气,提升入驻 舒适感和睡眠质量 Circulate air for 24 hours, with a circulation volume of 500m³/ hour, so that the room can always keep fresh air with high oxygen content, and improve the comfort and sleep quality.



Space capsule Description of internal structure (E 7 as an example)

太空舱内部结构说明 (七) 智能家居

Space capsule Description of internal structure (7) Smart home

功能	控制	关键词
function	Cont rol	Keywords
窗帘 Cu rtains	开关 Switch	卧室、客厅、全屋可分别控制 Bedroom, living room and whole house can be controlled separately
天窗	开关	打开关闭天窗
Skylight	Switch	Open and close the skylight
空调	调控	温度精准调控、定时、风量
Air conditioning	Regulate and control	Temperature precision control, timing, air volume
排风	开关	打开关闭排风
Exhaust	Switch	Turn on and off the exhaust air
全屋灯光总成 Light Assembly for the whole house	分别控制 Separate control	全屋灯光分别、总控制 The lighting of the whole house is respectively and totally controlled
全屋电器总成 Who le House e lect rica lasse m bly	分别控制 Separate control	全屋电器关闭开启 All the appliances in the house are turned off
手动控制开关	入户、玄关、卧室床头、客厅	金属磨砂工艺开关按键: 各分区功能字体可定制
Ma nual cont rol	Entrance, entrance,	Metal sanding process switch button: each
switch	Bedroom, bed, living room	partition function font can be customized











Space capsule Description of internal structure (E 7 as an example)

太空舱制造说明 (一)

Space Capsule Manufacturing Instructions (1)

分区 su b zone	型号材质参数 Model material parameter	注释 a n notation
主骨架 The main skeleton	热镀锌方管承重梁 4.5mm Hot dip galvanized square tube bearing beam 4.5mm	热镀锌抗腐蚀 Hot dip galvanizing corrosion resistance
副骨架 The sub- skeleton	热镀锌方管3.0mm Hot dip galvanized square pipe 3.0mm	热镀锌 <mark>抗腐蚀</mark> Hot dip galvanizing corrosion resistance
夹层 Mezza nine	纤维素增强型水泥压力板 Cellulose reinforced cement pressure plate	防火【A级】、防水、防潮、绝缘、隔音、隔热; 韧性高抗踩踏 Fire [a class], waterproof, moisture-proof, insulation, sound insulation, heat insulation; high toughness and stampede resistance
隔热	聚氨酯 polyurethane	全水聚氨酯发泡剂隔热层厚度150mm 隔热、保温、隔音 Full water polyurethane foaming agent insulation layer thickness of 150mm heat insulation, heat insulation, sound insulation
insulate against heat	橡塑棉 Rubber and plastic cotton	橡塑棉保温层厚度25mm 隔热、保温、吸音 Rubber and plastic insulation layer thickness of 25 mm heat insulation, insulation, sound absorption


纤维素增强型水泥板

Cellulose reinforced cement board

橡塑棉 Rubber and plastic cotton







骨架 The main skeleton

Space capsule Description of internal structure (E 7 as an example)

太空舱制造说明 (二)

Space Capsule Manufacturing Instructions (2)

分区 su bzone	型号材质参数 Model material parameter	注释 annotation
夹层 地面 墙面 Mezza nine G rou nd Me to pe	纤维素增强型水泥压力板 Cellulose reinforced cement pressure plate	防火【A级】、防水、防潮、绝缘、隔音、隔热;韧性高抗踩踏 Fire [a class] , waterproof, moisture-proof, insulation, sound insulation, heat insulation; high toughness and stampede resistance
保温 Keep warm 隔热 Thermal insulation	聚氨酯 polyurethane	全水聚氨酯发泡剂隔热层厚度100mm隔热、保温、隔音 All water polyurethane blowing agent The thickness of the insulation layer is 100mm Heat insulation, heat preservation, sound insulation

纤维素增强型 水泥板 Cellulose reinforced cement board



全水聚氨酯发泡 隔热层 All water polyurethane foam insulation



运输与安装 Transportation and installation



运输阶段:

标准货车为13.5米长半挂车,运输宽度为3米,运输高度不大于4.2米,可全国高速路自由通行。

Transport:

Standard truck for 13.5 meters long semi-trailer, transport width of 3 meters, transport height of not more than 4.2 meters, the national highway free access.

吊装阶段:

货物抵达现场后,需要客户自行联络当地的吊车服务,产品吊装重量在6至10吨,建议选用不小于25吨级别的吊车装卸。

Hoisting:

After the goods arrive at the site, customers need to contact the local crane service, product lifting weight of 6 to 10 tons, the proposed use of no less than 25 tons of crane loading and unloading.

安装阶段:

在我司技术员的指导下,完成给水、给电、排污管 线及承重基础的现场工程,精准落位到设计的安装 点位,接通水电后,完成通水通电测试,交由客户 验收。

Installation:

Under the guidance of our technician, complete the site works of water supply, power supply, sewage pipeline and load-bearing foundation, accurately set to the designed installation point, after connecting the water and electricity, complete the water and electricity test, customer acceptance.

国际市场分布 International market distribution



实力加自信就是一个坚韧不可摧的团队。站在每一个人都想挑战自我的立场上,我们以实力为盾、自信为矛、团结为勇气,组成了激情无畏的团体。我们会用实力证明,我们是最棒的,让我们勇敢地去做吧。 Strength plus confidence is a tough and unbreakable team. Standing in the position that everyone wants to challenge themselves, we take strength as a shield, self-confidence as a spear, unity as courage, forming a passionate and fearless group. We will prove with strength, we are the best, let us be brave to do it.

运输Transport



安装Installation



产品应用场景 Product application scenarios






产品应用场景 Product application scenarios



产品应用场景 Product application scenarios









内部空间 Interior space

产品项目优势Product project advantage

不限地势 生态开发 Not limited to the terrain Ecological development

不打地基,高峰密林、滩涂、全地形覆盖,不破坏一草一木,无建筑废料,生态环保No Foundation, peak dense forest, beach, all terrain coverage, not to destroy a grass and a tree, no construction waste, ecological and environmental protection



预制房屋 快速落地 Prefabricated houses,Fast Landing

车间内30天生产,全屋 集成,2小时落地即用, 无需现场装修施工 Workshop 30 days of production, the whole house integration, 2 hours on-site use, no need for onsite decoration and construction





时尚设计 吸晴引流 Fashion design,Attract an audience

100%原创设计,独特产品设计自带粉丝流量, 央视媒体报道 100% original design, unique product design with fan flow, CCTV media reports



270°全景落地窗,保温隔热,睡在风景里,享受纯粹的自然乐趣Panoramic windows, thermal insulation, sleep in the scenery, enjoy the pure natural fun





项目投资优势Advantages of project investment

项目落地快 Project landing fast

从投资到运营,时间最快2个月内就可以完成 From investment to operation, the fastest time can be completed within 2 months

项目回本快 Quick Payback

一般固定投资需要4-5年,甚至更长时间才能回本,而本项目只需要2-3年就可以回本The general fixed investment needs 4-5 years, even longer time to return the cost, but this project only needs 2-3 years can return the cost

项目收益周期长 The yield cycle is long

由于产品设计使用寿命 为30-50年,所以收益 长达30年以上 As the product design life of 30-50 years, so the benefits of up to 30 years

项目可移动性 Project portability

与很多一次投资只能在固定的地方相比,本项目可以转移不同地方经营,减少了投资风险Compared with a lot of one-time investment can only be in a fixed place, the project can be transferred to different places of operation, reducing the investment risk

项目可行性好 Good feasibility

由于不占用土地指标、不需要太多的审批指标,因此项目可行性大幅度提高
The feasibility of the project has been greatly improved due to the non-occupation of land and the lack of need for too many examination and approval indicators







落地项目展示



